

# STORMSHIELD

# EXTERIOR COATINGS SOLUTIONS

A GUIDE TO PAINTS AND RENDERS



Ţ

# CONTENTS

Johnstone's Trade Stormshield	3
Johnstone's Trade Stormshield Systems	4
Exterior Colour	5
Johnstone's Trade Stormshield Paint Systems	6
Product Guide Section	8
Paint Systems Overview	14
Johnstone's Trade Stormshield Render Systems	16
Render Finishes	18
Johnstone's Trade Stormshield High Performance Render Systems	20
Johnstone's Trade Stormshield High Flexibility Render Systems	21
Johnstone's Trade Stormshield Scratch Render Systems	22
Johnstone's Trade Stormshield Mineral Thin Coat Render Systems	24
Render Systems Overview	26



# JOHNSTONE'S TRADE STORMSHIELD

Johnstone's Trade Stormshield offers a comprehensive range of exterior paints, render systems and external wall insulation systems. Designed to provide high performance, long lasting protection for exteriors to the full spectrum of appliers, clients and specifiers.

## JOHNSTONE'S TRADE STORMSHIELD RENDER SYSTEMS

The Johnstone's Trade Stormshield Render Systems offer a high quality, long lasting rendered finish for a variety of substrates. Our systems are formulated and tested to the most stringent of standards to ensure they will stand the test of time. Many systems also carry BBA certification.

Additionally we are able to offer External Wall Insulation (EWI) systems for extra thermal protection, that can be finished with our render systems. Visit www.johnstonestrade.com/specifiers/ewi to find out more information.

## JOHNSTONE'S TRADE STORMSHIELD EXTERIOR PAINT SYSTEMS

The Johnstone's Trade Stormshield range features a wide range of exterior paint products designed to offer long lasting protection, enhanced durability and excellent application properties.

This brochure is designed to help you understand the full exterior offer and the beneifts of Johnstone's Trade Stormshield.

 $\bigcirc$ 

ŧ

.

# JOHNSTONE'S TRADE STORMSHIELD SYSTEMS

The Johnstone's Trade Stormshield range has been designed to offer all you need to complete exterior projects from render systems right the way through to masonry and trim paints. It incorporates coatings and systems offering lasting protection of up to 30 years, to masonry paints that offer quick rain resistance.

## THE TEST OF TIME

Many of the Johnstone's Trade Stormshield systems have been independently tested to stringent standards and have received certification by the BBA (British Board of Agrément) offering life expectancies from 8 years to 30 years.



# TECHNICAL SUPPORT

At Johnstone's Trade we are on hand to provide our customers with dedicated support at all stages of a project. From advice on preparation and selecting the right products to after-care requirements, our team are always happy to help.

If you have any queries visit our website (www.johnstonestrade.com/ advice) or contact the lohnstone's Technical Advisory Department on 01924 354354.



## **GIVING THE CLIENT** PEACE OF MIND

The Johnstone's Trade Stormshield range of exterior products and solutions all offer long lasting durability for many years after the project is completed. When the time does come to further enhance or protect an exterior facade with Iohnstone's Trade Stormshield systems, you can be assured we have the coatings and solutions that will enable you to maintain and complement the existing finish.

Through choosing Johnstone's Trade Stormshield you are able to take advantage of our full system of products, making refurbing existing Johnstone's Trade Stormshield systems easy and giving peace of mind to clients that their freshly decorated and protected buildings can maintain their high quality finish throughout its lifetime.

# EXTERIOR COLOUR

At Johnstone's Trade we understand the importance of colour, especially in building façades. Many of the Johnstone's Trade Stormshield paints can be colour mixed to suit your requirements. Our Johnstone's Trade Stormshield Render Systems also feature finishes that can be tinted in a wide array of colours.

# **IOHNSTONES**



# VOICE OF COLOUR EXTERIOR COLOURS

Developed specially for Johnstone's Trade masonry paints and renders, the Johnstone's Trade Voice of Colour Exterior Colours collection features over 200 different shades. The collection allows you to easily create colour combinations for all external projects.

If a particular shade is required you can select from colours in the Johnstone's Trade Voice of Colour palette, giving you over 1500 exterior colours to choose from.

## LIGHTFASTNESS OF JOHNSTONE'S TRADE VOICE OF COLOUR EXTERIOR COLOURS

To ensure our Johnstone's Trade exterior coatings and systems retain their fresh look for longer, all our colours in the collection have a high resistance to U.V. light and excellent colour retention.

## COLOUR VISUALISER

Our colour visualiser tool helps you bring your project to life. Use the visualiser to digitally paint your project, using the Johnstone's Trade Voice of Colour exterior collection. With over 1500 colours to select from, the perfect colour combination is only a click away.

www.visualizecolor.com/johnstones

 $\bigcirc$ 

# JOHNSTONE'S TRADE STORMSHIELD **PAINT SYSTEMS**

Johnstone's Trade Stormshield offers a comprehensive range of coatings suitable for application on a variety of exterior substrates. From preparation products, to exterior finishes, by choosing Johnstone's Trade Stormshield paints you can be assured of an exceptional level of protection and durability.

Many products within the range have BBA (British Board of Agrément) approval, after having undergone rigorous independent testing to showcase their exceptional life expectancies of up to 15 years.

We understand the challenges that come with exterior jobs and that's why we have specially formulated products in the range that offer low temperature application down to -5°c and quick rain resistance from 20 minutes to ensure you can confidently schedule your exterior jobs whatever the season.

The next section of this guide showcases Johnstone's Trade Stormshield exterior paint coatings and the benefits they can bring to your next project. Our Paint Systems Selector on page 14 is also great at guiding you to the best product for the job based on your specific requirements, taking into account the substrate, application environment and important qualities required.





 $\square$ 

# PRODUCT GUIDE SECTION

## Smooth Masonry



A water based smooth masonry paint suitable for application to most exterior masonry substrates and extends the season for water based exterior products with its excellent application benefits.

BBA BRITISH BOARD

### Product Information

- Quick Rain Resistance technology making the product rain resistant after just 20 minutes\*
- Can be applied from 2 degrees and rising
- High quality finish with excellent colour retention, opacity and anti-carbonation properties
- BBA Certified offering up to 15 years life expectancy



\*at 23° and 50% humidity

# Silicone Masonry



A masonry paint based on silicone technology that provides high levels of breathability to ensure long last protection.



- Silicone formulation maximises vapour permeability
- · Highly flexible coating with excellent adhesion
- High levels of water and weather resistance
- BBA Certified offering up to 15 years life expectancy





High performance full silicone coating and BBA certification for 15 years life expectancy

# PRODUCT GUIDE SECTION

# Pliolite<sup>®</sup> Based Masonry Finish




**Pliolite Based** 

**Masonry Finish** 

Ш

Brillant White

A premium quality solvent-borne masonry paint that can be applied in low temperatures and has a life expectancy of up to 15 years.





## Product Information

- Showerproof in 20 minutes
- Can be applied in extreme temperatures as low as -5°C
- Excellent adhesion to previously painted and porous surfaces
- BBA Certified offering up to 15 years life expectancy



Key Benefit

All year round application and BBA certification for 15 years life expectancy

 $\bigcirc$ 

# Self-Cleaning Masonry



Formulated with nano technology to give an extremely smooth and dirt resisting finish.

### Product Information

- Flexible, dirt resisting finish
- Unique nano particle technology
- 15 years life expectancy





Exterior surfaces stay cleaner for longer. Life expectancy 15 years

# PRODUCT GUIDE SECTION

## **Textured Masonry**



A high quality fine textured water based acrylic resin masonry finish that bridges hairline cracks.

### Product Information

- Fine sand textured finish
- Bridges hairline cracks and helps to disguise uneven surfaces
- Good anti-carbonation properties
- BBA Certified offering up to 15 years life expectancy





# Jontex High Build Textured Masonry

A high build, heavily textured, one coat finish formulated for use on exterior surfaces.

# **IOHNSTONES** TRADE STORMSHIELD ontex ligh Build Textured Masonry Belliant White 10



Ideal for uneven surfaces

Product Information

- High build, heavily textured finish
- Ideal for badly weather surfaces
- BBA Certified offering up to 15 years life expectancy





Offers long term protection to badly weathered masonry surfaces and BBA certification for 15 years life expectancy.

# PRODUCT GUIDE SECTION

# Water Seal



A sealer for use over porous masonry surfaces to protect against water ingress.



- Creates a waterproof seal
- Allows the surface to breathe
- Transparent appearance





Provides a water repellent surface whilst allowing the substrate to breathe

 $\bigcirc$ 

# **Quick Dry Stabilising Solution**



Binds friable, chalking and absorbent surfaces ensuring suitability for further decoration.

### Product Information

- Primes porous surfaces
- Highly penetrative
- Recoat in 2-4 hours





A quick drying stabilising formulation which can be over coated in 2-4 hours

# PRODUCT GUIDE SECTION

## **Stabilising Solution**



Binds friable, chalking and absorbent surfaces ensuring suitability for further decoration.

Designed for use under masonry coatings



- Primes porous surfaces
- Highly penetrative

Key Benefit



A microporous primer and undercoat in one for use in conjunction with Johnstone's Trade Stormshield Flexible Gloss and Satin topcoats.



### Product Information



- Micoporous and crack resisting
- Retains flexibility longer than traditional undercoats
- BBA Certified offering up to 8 years life expectancy\*

To achieve the 8 year life to first major maintenance Flexible Primer Undercoat must be applied in accordance with a project specific Johnstone's Trade Technical Specification and BS 6150, 2006 Code of Practice for Painting Buildings.







Highly flexible coating to maintain lasting protection

# PRODUCT GUIDE SECTION

## **Flexible Satin**

A premium quality microporous satin paint for exterior woodwork. Offering high durability and flexibility.



### Product Information

- Micoporous and crack resisting
- Excellent resistance to cracking and flaking
- BBA Certified offering up to 8 years life expectancy\*

\*To achieve the 8 year life to first major maintenance Flexible Satin must be applied in accordance with a project specific Johnstone's Trade Technical Specification and BS 6150, 2006 Code of Practice for Painting Buildings.





Offering up to 8 years life expectancy and is resistant to blistering and cracking

 $\bigcirc$ 

# **Flexible Gloss**

A premium quality microporous satin paint for exterior woodwork. Offering high durability and flexibility.



### Product Information




- Micoporous and crack resisting
- Excellent resistance to cracking and flaking
- BBA Certified offering up to 8 years life expectancy\*

To achieve the 8 year life to first major maintenance Flexible Gloss must be applied in accordance with a project specific Johnstone's Trade Technical Specification and BS 6150, 2006 Code of Practice for Painting Buildings.





Offering up to 8 years life expectancy and is resistant to blistering and cracking



 $\bigcirc$ 



The Johnstone's Trade Stormshield Paint Systems Selector is designed to help you identify the best system for your job based on what is most important to you.

If you have any queries or require technical information on any of our Johnstone's Trade Stormshield products, visit our website at www.johnstonestrade.com/advice or contact the Johnstone's Technical Advisory Department on 01924 354354.

# J 0 H N S T 0 N E ' S T R A D E S T 0 R M S H I E L D **R E N D E R S Y S T E M S**

Within the Johnstone's Trade Stormshield range, we offer a number of high performance render systems suitable for application to a diverse number of external surfaces, including concrete, brickwork and blockwork.

Johnstone's Trade Stormshield Render systems come in a wide variety of finishes. In addition our textured renders can be easily colour mixed in a wide array of colours, chosen for their high resistance to U.V light and excellent colour retention.

Many of the render systems we offer have been certified by the BBA (British Board of Agrément) demonstrating an extended life expectancy of up to 30 years, ensuring you can be confident in delivering a long lasting finish that will protect exteriors from the elements for many years to come.

Take a look at the different render systems we offer at Johnstone's Trade and understand how they are built up, as well as understanding the unique benefits they offer. Our handy guide shows the products behind each system, and contains an overview of the finishes you can achieve. Our render systems overview is also great at guiding you in selecting the best product for the job, based on your requiements.









# RENDER FINISHES

We have a range of render finishes available that each offer unique benefits to your project.



## FULL SILICONE RENDER

lohnstone's Trade Stormshield Full Silicone Render is a high performance thin coat render formulated with silicone resins to offer a highly vapour permeable and water resistant finish.

- Available in over 150 specially selected standard colours and thousands of additional shades
- Greater colour choice than traditional render finishes
- Excellent breathability/ vapour permeability
- Highly water repellent
- High elasticity
- Easily maintained using Iohnstone's Trade Stormshield Silicone Masonry Paint

## SILICONE ENHANCED RENDER

**Iohnstone's Trade** Stormshield Silicone Enhanced Render is a high performance thin coat render formulated from acrylic resins and silicone additives to offer the perfect balance of affordability and durability.

- Available in over 200 specially selected standard colours and thousands of additional shades
- The greatest colour choice across all render finishes
- Highly water repellent
- Very good elasticity

# DASH

# RENDER

lohnstone's Trade Stormshield High Performance Dash Render is a high performance cement based render, enhanced with high performance polymers; providing a durable and attractive all weather finishing coat.

- Available as standard in 14 dash receiver colours and 30 aggregate choices provides over 400 finish combinations
- Most hardwearing finish on the market - ideal for high impact areas
- Exceptional weather resistance
- Exceptional performance in harsh environments
- Low maintenance

## **BRICK EFFECT** RENDER

**lohnstone's** Trade Stormshield High Performance Brick Effect Render is a cement based high polymer formulation that provides a durable and attractive all weather finishing coat.

- Available as standard in a range of 12 mortar, stone and brick colours and can also be matched to client specification
- Cost effective brick simulation
- Excellent for when the background is of a lightweight construction
- features which may be lost if rendered over

## BRICK SI IP

lohnstone's Trade Stormshield Brick Slips can be applied using Stormshield Brick Slip Adhesive and pointed with Stormshield Brick Slip Mortar.

- Available in the popular. traditional red brick colour in addition to a wide range of colours and textures
- Can recreate to near perfect, the actual facade being replaced
- Use to add features in traditional render systems



# RENDER

**Johnstone's Trade** Stormshield Scratch Render provides an attractive through colour coating for exterior masonry surfaces.

- Available in over 14 specially selected standard colours
- Resistant to UV degradation giving long term fade protection
- Highly durable
- Very good breathability/ vapour permeability
- The smooth/negative texture provides durability without a hazardous texture - excellent for low level facades

- Effective way to recreate

 $\bigcirc$ 



# JOHNSTONE'S TRADE STORMSHIELD HIGH PERFORMANCE RENDER SYSTEMS

A modern, high performance render system formulated for application to traditional masonry substrates. Developed using polymer modified technology and available in a range of finishes that will enhance and protect a buildings exterior.


# FEATURES

- High performance, polymer modified systems
- Can be applied to suitably prepared masonry finishes
- Vapour permeable / breathable
- High levels of crack resistance

- Simple application
- Easy to maintain
- Suitable for new build and refurbishment work
- Silicone enhanced and full silicone finishes BBA approved

# FINISHES AVAILABLE





# BRICK SLIP

The products needed for your render system will depend upon the substrate you are rendering to and the chosen render finish. See below for full system details.

## SILICONE SYSTEMS

SYSTEM	BASECOAT	REINFORCEMENT
Johnstone's Trade Stormshield High Performance Render System Silicone finishes	Johnstone's Trade Stormshield High Performance Basecoat	Johnstone's Trade Stormshield Reinforcing Mesh Cloth

## DASH SYSTEMS

SYSTEM	BASECOAT	
Johnstone's Trade Stormshield High Performance	Johnstone's Trade Stormshield	
Dash Render System	High Performance Basecoat	

## BRICK EFFECT RENDER SYSTEMS

SYSTEM	BASECOAT
Johnstone's Trade Stormshield High Performance Brick Effect	Johnstone's Trade Stormshield
Render System	High Performance Basecoat

## BRICK SLIP RENDER SYSTEMS

SYSTEM	BASECOAT	
Johnstone's Trade Stormshield High Performance Brick Slip Render System	Johnstone's Trade Stormshield High Performance Basecoat	

φ

### PRIMER

### Johnstone's Trade Stormshield Full Silicone Render Primer

Johnstone's Trade Stormshield Silicone Enhanced Render Primer

### **RENDER FINISH**

Johnstone's Trade Stormshield Full Silicone Render -1mm / 1.5mm / 2.0mm

Johnstone's Trade Stormshield Silicone Enhanced Render - 1mm / 1.5mm

### REINFORCEMENT

Johnstone's Trade Stormshield Reinforcing Mesh Cloth

### FINISH

Johnstone's Trade Stormshield Dash Receiver + Approved Dashing Aggregate

### REINFORCEMENT

Johnstone's Trade Stormshield Reinforcing Mesh Cloth

### FINISH

Johnstone's Trade Stormshield Brick Effect Render

### REINFORCEMENT


Johnstone's Trade Stormshield Reinforcing Mesh Cloth FINISH

Johnstone's Trade Stormshield Brick Slip Pointing Mortar + Approved Brick Slips

21

# JOHNSTONE'S TRADE STORMSHIELD HIGH FLEXIBILITY RENDER SYSTEMS

A highly modified polymer system that brings ultimate flexibility. Specially formulated for application to render carrier boards and on substrates where adhesion and flexibility are key. This system can be finished in a wide range of finishes to provide a durable all weather solution.



# FEATURES

- High flexibility
- Can be applied to render carrier boards
- Vapour permeable / breathable
- Ultimate crack resistance
- Simple application
- Easy to maintain
- Suitable for new build and refurbishment work

# FINISHES AVAILABLE



SILICONE ENHANCED RENDER



# BUILD THE SYSTEM

SYSTEM	BASECOAT	REINFORCEMENT	PRIMER	RENDER FINISH
Johnstone's Trade Johnstone's Trade Johnstone's Trade Stormshield Stormshield Stormshield High Flexibility High Flexibility Reinforcing Render System Render Basecoat Mesh Cloth	Johnstone's Trade Stormshield Full Silicone Render Primer	Johnstone's Trade Stormshield Full Silicone Render - 1mm / 1.5mm / 2.0mm		
	High Flexibility	0	Johnstone's Trade Stormshield Silicone Enhanced Render Primer	Johnstone's Trade Stormshield Silicone Enhanced Render - 1mm / 1.5mm

# JOHNSTONE'S TRADE STORMSHIELD SCRATCH RENDER SYSTEMS

A traditional through colour render system for exterior masonry surfaces. Stormshield Scratch Render is a high quality, cement based formulation that has been modified with polymer to provide a durable and attractive all weather solution for any project.

# FEATURES

- Polymer modified, through colour cement render
- Good substrate adhesion
- Excellent long term fade protection
- Through-coloured for lower maintenance
- Suitable for new build and refurbishment work
- BBA Approved



# BUILD THE SYSTEM

SYSTEM	KEY COAT / PRIMER
Johnstone's Trade	Depending on
Stormshield	substrate, condition,
High Scratch Render System	porosity and type

 $\bigcirc$ 

# FINISHES AVAILABLE

## SCRATCH RENDER SYSTEMS

Available in 14 colours

### REINFORCEMENT

Johnstone's Trade Stormshield Reinforcing Mesh Cloth

### **RENDER FINISH**

Johnstone's Trade Stormshield Scratch Render

# JOHNSTONE'S TRADE STORMSHIELD MINERAL THIN COAT RENDER SYSTEMS

A cement based render system that can be applied in low temperatures. The system can be easily applied as no primer is required. Its cement based formulation makes the application process quick.

# FEATURES

# FINISHES AVAILABLE

### Cement based render

- No primer required—apply directly onto basecoat
- Can be applied in zero degree temperatures, removing the limitations of season weather
- Fast drying



MINERAL THIN COAT RENDER SYSTEMS

# BUILD THE SYSTEM

SYSTEM	BASECOAT	REINFORCEMENT	RENDER FINISH
Johnstone's Trade	Johnstone's Trade	Johnstone's Trade	Johnstone's Trade
Stormshield	Stormshield	Stormshield	Stormshield
Mineral Thin Coat Render System	High Performance Basecoat	Reinforcing Mesh Cloth	Mineral Thin Coat Render



# RENDER SYSTEMS OVERVIEW

All of our render systems are formulated and tested to the most stringent standards. This ensures we offer the highest quality and most durable options that withstand the harshest of weather conditions, whilst providing our clients with reassurance and peace of mind.


Deciding which render system to use on your project depends on a number of factors including the type of substrate the render is to be applied to. Our technical team are on hand to discuss your specific requirements. This table provides a general overview of the systems available within the Johnstone's Trade Stormshield range.

							L L		
		SUBSTRATE					$\vee$ $\land$ $\land$		
Finish	Concrete	Brickwork	Blockwork	Render Carrier Board		BBA Approved	Crack Resistance	Adhesion to Substrate	Ease of Re
Full Silicone Render				o		O	****	****	*
Silicone Enhanced Render				o		D	****	****	*
Full Silicone Render	٥	D	o			D	****	****	*
Silicone Enhanced Render	D	D	o			O	****	****	*
Dash Render	D	D	o				****	****	a state
Brick Effect Render	٥	٥	D				****	****	
Brick Slips	D	D	o				****	****	
Traditional Scratch Render	۰		D			C	***	****	1
Silicone Enhanced Render	o	o	0				****	****	*
Masonry Paint	٥	C	٥				***	****	*
Mineral	o	C	O				***	****	7
Silicone Mineral	o	C	o				***	****	1
	Full Silicone RenderSilicone Enhanced RenderFull Silicone RenderSilicone Enhanced RenderDash RenderBrick Effect RenderBrick SlipsTraditional Scratch RenderSilicone Enhanced RenderMasonry PaintMineral	Full Silicone RenderFull Silicone Enhanced RenderFull Silicone RenderFull Silicone RenderSilicone Enhanced RenderDash RenderDash RenderBrick Effect RenderBrick SlipsTraditional Scratch RenderSilicone Enhanced RenderSilicone Enhanced RenderMasonry PaintMineralO	FinishConcreteBrickworkFull Silicone RenderSilicone Enhanced Render00Full Silicone Render00Silicone Enhanced Render00Dash Render00Brick Effect Render00Brick Slips00Traditional Scratch Render00Silicone Enhanced Render00Masonry Paint00Mineral00	FinishConcreteBrickworkBlockworkFull Silicone RenderSilicone Enhanced RenderFull Silicone RenderSilicone Enhanced RenderSilicone Enhanced RenderDash RenderBrick Effect RenderBrick SlipsTraditional Scratch RenderSilicone Enhanced RenderMasonry PaintMineral	FinishConcreteBrickworkBlockworkRender Carrier BoardFull Silicone Render </td <td>FinishConcreteBrickworkBlockworkRender Carrier BoardFull Silicone Render<!--</td--><td>FinishConcreteBrickworkBlockworkRender Carrier BoardConcreteApprovedFull Silicone Render&lt;</td><!--</td--><td>FinishConcreteBrickworkBlockworkRender Carrier BoardBBBA ApprovedCrack ResistanceFull Silicone RenderImage: Image: Im</td><td>FinishConcreteBrickworkBlockworkRefer Carrier BoardApprovedResistanceAdhesion to SubstrateFull Silicone Render<math>&lt; 1 &lt; &lt; 0</math><math>&lt; 0</math><math>&lt; 0</math><math>&lt; * * * * * * &lt; * * * * * * &lt; * * * * *</math></td></td>	FinishConcreteBrickworkBlockworkRender Carrier BoardFull Silicone Render </td <td>FinishConcreteBrickworkBlockworkRender Carrier BoardConcreteApprovedFull Silicone Render&lt;</td> </td <td>FinishConcreteBrickworkBlockworkRender Carrier BoardBBBA ApprovedCrack ResistanceFull Silicone RenderImage: Image: Im</td> <td>FinishConcreteBrickworkBlockworkRefer Carrier BoardApprovedResistanceAdhesion to SubstrateFull Silicone Render<math>&lt; 1 &lt; &lt; 0</math><math>&lt; 0</math><math>&lt; 0</math><math>&lt; * * * * * * &lt; * * * * * * &lt; * * * * *</math></td>	FinishConcreteBrickworkBlockworkRender Carrier BoardConcreteApprovedFull Silicone Render<	FinishConcreteBrickworkBlockworkRender Carrier BoardBBBA ApprovedCrack ResistanceFull Silicone RenderImage: Image: Im	FinishConcreteBrickworkBlockworkRefer Carrier BoardApprovedResistanceAdhesion to SubstrateFull Silicone Render $< 1 < < 0$ $< 0$ $< 0$ $< * * * * * * < * * * * * * < * * * * *$

Key Coat Primer may be needed dependent on existing substrate condition and surface finish

\* Stormshield OCR is not BBA approved as a system but Johnstone's Stormshield Silicone Enhanced Render and Masonry Paints typically carry BBA certification.





**PPG** 

PPG Architectural Coatings UK Limited Huddersfield Road, Birstall, Batley, West Yorkshire WF17 9XA. United Kingdom

All text is correct as of time of going to print Spring 2021. 15798