



PRODUCT GUIDE



THE COMPLETE GUIDE TO
JOHNSTONE'S TRADE COATINGS





ABOUT US

As part of the PPG portfolio of brands, Johnstone's Trade has a long history as one of the UK's foremost professional trade paint brands and has enjoyed a presence in the market since 1890. At Johnstone's Trade we are committed to leading the market with defining product innovation and performance. We specialise in listening to our market in order to meet the needs of the professional decorator and specifier who care about their work and business, demand high quality and the best possible results.

We are proud to offer a comprehensive range of innovative and high performing trade paints, woodcare and performance coatings as well as external wall insulation and render systems. Working hand in hand with our customers and our global research & development teams to provide new and technically advanced products that meet the needs and demands of today's market.

We pride ourselves on being close to our customers to ensure we go above and beyond to exceed their expectations.

CONTENTS

INTRODUCTION

About Us	02
Contents	03
Inspiration & Colour	04 – 05
How To Balance Colour in Your Room	06 – 07
Visualise Your Colour	08 – 09
Johnstone's Technical Advisory Department	10 – 11
Online Support and Social Media	12 – 13

PRODUCT SECTIONS

Walls & Ceilings	14 – 25
Trim	26 – 35
Flooring	36 – 43
Metal	44 – 53
Hygiene	54 – 61
Anti-Graffiti	62 – 63
Flame Retardants	64 – 69
Specialist	70 – 75
Primers	76 – 85
Exterior Paint	86 – 99
External Wall Insulation & Renders	100 – 111
Essentials	112 – 113
Product Index	114 – 117
Frequently Asked Questions	118 – 123

INSPIRATION & COLOUR

Voice of Colour is a collection of colours carefully selected by our PPG colour experts using their knowledge, skills and expertise to create the perfect assortment for professional painters, contractors and their customers.

An exclusive palette to Johnstone's Trade, Voice of Colour consists of over 2,000 colours that are trend and customer focused and will inspire colour confidence for any project.

The Voice of Colour palette has been specifically created to work exclusively with Johnstone's Trade's high performance decorative paints to ensure long lasting quality, performance and colour accuracy.

Voice of Colour trends are easily accessible to help inspire the colour journey and selection process. Using the 60-30-10 principle is a great way to be confident when helping customers make the right selection.

Johnstone's Trade has a wide range of colour palettes designed to ensure that colour selection is easier than ever before including Voice of Colour, RAL, NCS and BS4800 available via store tinting facilities.

www.johnstonestrade.com/colour



HOW TO BALANCE COLOUR IN YOUR ROOM

Choosing the right colours to create a balanced colour scheme can often be challenging and overwhelming. Our Voice of Colour 60-30-10 principle provides a simple and practical guide to help your customers create the perfect palette for their project.

60% MAIN COLOUR

Approximately 60% of your room should be the Main Colour (large walls). Think of this as the main walls in your room, and even consider the ceiling too.



30% FEATURE COLOUR

Approximately 30% of your room should be a Feature Wall Colour or ceiling. Find a wall that is small but could have a big impact if painted with a unique colour.



10% ACCENT COLOUR


Approximately 10% should be an Accent Colour (interior wood, cushions or accessories). This can be a door or some woodwork, or even a cushion, flooring, sofa, or anything that inspires you.



Harbor Light
PPG1162-1

Warm Bath
PPG1160-5

Dawn Swim
PPG1001-3



VISUALISE YOUR COLOUR

Visit www.johnstonestrade.com to access the Johnstone's Trade ColourBox virtual room visualiser. This tool puts you and or your customer in control of the colours for the project in hand. You can digitally paint your room with our colour palettes, latest colour trends, and commercial colour schemes.

Find confidence in the perfect paint colours for your room, order colour samples, download your room image, and share with friends, family and colleagues.

01 SELECT YOUR PHOTO

Upload your own photo or use one of our preselected room images.

02 SELECT YOUR COLOUR

Browse our full colour palette, get inspired by the trends or select your paint colour from an image.

03 SELECT YOUR ROOM

Play around with your selection of colours and see what effect they have on the room.

04 SELECT YOUR PROJECT


Review your project and easily save or share your end result.

 Order colour samples at www.johnstonestrade.com/colour

 Visit our store locator at www.johnstonestrade.com




ColourBox



JOHNSTONE'S TECHNICAL ADVISORY DEPARTMENT

At Johnstone's Trade we are on hand to provide our customers with all the painting advice that they need. From paint specifications to preparation, application and after-care advice, our team of experts are available to answer your questions. Our customisable services have been created to support you throughout your project or task, from beginning to end, providing you with an honest and comprehensive specification for your project.



If you have any queries or require technical information on any of our Johnstone's Trade products, visit our website at www.johnstonestrade.com/advice or contact the **Johnstone's Technical Advisory Department** on **01924 354354**.



ONLINE SUPPORT AND SOCIAL MEDIA

www.johnstonestrade.com

Find everything you need to support you in your projects on the Johnstone's Trade website. From trends and advice to product information and specification, it's all readily available online.



Follow us on Facebook, Twitter and LinkedIn today to keep up to date with all the latest product launches, competitions, hints and tips and views from the trade.




Johnstone's Trade Paints



Johnstone's Trade



Johnstone's Trade





WALL & CEILING PRODUCTS

Perfect Matt	19
StainAway	19
Air Pure	20
Cleanable Matt	20
Endura Super Durable Matt	21
Acrylic Durable Matt	21
Acrylic Durable Eggshell	22
Covaplus Vinyl Matt	22
Jonmat Premium Contract Matt	23
Vinyl Silk	23
Vinyl Soft Sheen	24

The selection and application of products for walls and ceilings on any project is critical and that's why Johnstone's Trade is proud to offer an unrivalled range from which to choose.

Leading this category are Johnstone's Trade latest technologies; Perfect Matt with Smooth Layer technology that eliminates visible application marks highlighted by critical lighting. StainAway, the 2 in 1 primer and top coat that permanently isolates stains and Air Pure with Air Purifying technology which neutralises formaldehyde by up to 70% as soon as it's applied.

In addition, there are also a wide range of core wall and ceiling products that are suitable for many different projects. These include; Acrylic Durable Matt and Eggshell, Covaplus Vinyl Matt, Jonmat Premium Contract Matt, Vinyl Soft Sheen and Vinyl Silk.



QUICK REFERENCE GUIDE FOR WALL & CEILING PRODUCTS

PRODUCTS	FLAWLESS FINISH	AIR PURIFYING	STAIN BLOCKING	STAIN RESISTANT	SCRUB RESISTANT	WIPEABLE	NEW PLASTER
Perfect Matt	■				■	■	
StainAway			■		■	■	
Air Pure		■				■	
Cleanable Matt				■	■	■	
Endura Super Durable Matt					■	■	
Acrylic Durable Matt					■	■	
Acrylic Durable Eggshell				■	■	■	
Covaplus Vinyl Matt						■	
Jonmat Premium Contract Matt							■
Vinyl Silk						■	
Vinyl Soft Sheen						■	

TRAFFIC GUIDE*	PRIMARY FEATURE
Medium	Smooth Layer technology provides a flawless flat matt finish and effortless spot repair
Medium	A primer and top coat in one with stain blocking technology
Low	Air Purifying technology neutralises up to 70% of formaldehyde as soon as it's applied
High	Easy Clean technology creates a stain resistant and wipeable matt finish
Very High	The most durable emulsion paint in the range for high traffic areas
High	Scrubable matt emulsion paint
High	Stain resistant and scrubable eggshell emulsion paint
Low	Quality vinyl matt emulsion paint
Low	A contract matt designed to be applied to new plaster
Medium	Quality silk finish emulsion paint
Medium	Quality soft sheen finish emulsion paint

*TRAFFIC GUIDE EXPLAINED



LOW TRAFFIC: General application in areas with low footfall such as a living room and bedrooms.



MEDIUM TRAFFIC: General application in areas with medium footfall such as halls, stairs, landings, school classrooms, offices, and small retail outlets.



HIGH TRAFFIC: General application in areas with high footfall such as school hallways, corridors, stairwells and busy retail environments.



VERY HIGH TRAFFIC: General application in areas with very high footfall such as football stadiums, airports and large retail shopping complexes.

Perfect Matt



Contains Smooth Layer technology that creates a flawless flat matt finish in any colour.

Product Guide

Finish:	Flat Matt
Colour:	16,000 available
Pack size:	2.5Ltr, 5Ltr & 10Ltr
Type:	Water Based



Key Benefit

Eliminates the impact of visible application marks

**NO STREAKS,
NO STRESS**



Johnstone's Trade Perfect Matt with Smooth Layer technology.

Johnstone's Trade Perfect Matt eliminates the impact of visible application marks highlighted by critical lighting and the extra time it takes to rectify them. Innovative Smooth Layer technology creates a flawless flat matt finish with ease and in any colour. Need to re-touch? No problem. The end result will still be flawless.

Johnstone's Trade Perfect Matt is the paint that eliminates streaks.

Visit www.johnstonestrade.com to find out more.


StainAway



Contains Stain Blocking technology, permanently isolating even the most persistent stains.

Product Guide

Finish:	Flat Matt
Colour:	10,000 available
Pack size:	2.5Ltr, 5Ltr & 10Ltr
Type:	Water Based



Key Benefit

A primer and top coat in one product

Air Pure



An innovative bio-based flat matt wall and ceiling paint, which helps to improve indoor air quality.

Product Guide

Finish:	Flat Matt
Colour:	10,000 available
Pack size:	5Ltr only
Type:	Water Based



Key Benefit

Neutralises up to 70% of formaldehyde from the air as soon as it is applied


Endura Super Durable Matt



Ultimate durability, for use on interior walls and woodwork, easy to clean and the ideal solution for high traffic areas.

Product Guide

Finish:	Matt
Colour:	10,000 available
Pack size:	5Ltr
Type:	Water Based



Key Benefit

Extreme durability tested to over 10,000 scrubs

Cleanable Matt



Tough and stain resistant matt emulsion designed for high traffic areas which require frequent cleaning.

Product Guide

Finish:	Matt
Colour:	16,000 available
Pack size:	1Ltr, 2.5Ltr, 5Ltr & 10Ltr
Type:	Water Based



Key Benefit

Helps to prevent stains setting into the paint and makes removing them easier

Acrylic Durable Matt



A premium quality matt emulsion with outstanding durability for use on interior walls and ceilings.

Product Guide

Finish:	Matt
Colour:	16,000 available
Pack size:	2.5Ltr, 5Ltr & 10Ltr
Type:	Water Based



Key Benefit

A highly durable paint that can be scrubbed clean


Acrylic Durable Eggshell



A premium, tough mid-sheen finish which resists stains and is easily cleaned. Now with mould resistance.

Product Guide

Finish:	Eggshell
Colour:	16,000 available
Pack size:	2.5Ltr & 5Ltr
Type:	Water Based



Key Benefit

A durable, stain and mould resistant paint


Covaplus Vinyl Matt



Trusted matt emulsion paint with a longer wet edge time to reduce flashing issues.

Product Guide

Finish:	Matt
Colour:	16,000 available
Pack size:	1Ltr, 2.5Ltr, 5Ltr & 10Ltr
Type:	Water Based



Key Benefit

A general purpose vinyl matt emulsion with excellent opacity and coverage


Jonmat Premium Contract Matt



An economical matt emulsion for use on new plaster.

Product Guide

Finish:	Matt
Colour:	7,000 available
Pack size:	5Ltr, 10Ltr & 15Ltr
Type:	Water Based



Key Benefit

Allows fresh plaster to dry out to help avoid cracking

Vinyl Silk



A silk emulsion designed for interior use on walls and ceilings.

Product Guide

Finish:	Silk
Colour:	16,000 available
Pack size:	1Ltr, 2.5Ltr, 5Ltr & 10Ltr
Type:	Water Based



Key Benefit

A wipeable sheen finish, ideal over wall coverings

Vinyl Soft Sheen



A quality soft sheen emulsion designed for interior use on walls and ceilings.

Product Guide

Finish:	Mid sheen
Colour:	16,000 available
Pack size:	1Ltr, 2.5Ltr, 5Ltr & 10Ltr
Type:	Water Based



Key Benefit

A mid sheen finish which can be wiped clean



**STRONGER
THAN
STAINS**



Johnstone's Trade StainAway. Stronger than stains.

Johnstone's Trade StainAway is an innovative all in one wall and ceiling paint that isolates even the most persistent stains in one coat. The Stain Blocking technology permanently isolates and covers stains including smoke damage, nicotine damage and water stains, saving time by acting as a primer and finish in one.

Visit www.johnstonestrade.com to find out more.





TRIM PRODUCTS

Aqua Guard Durable Water Based Satin	30
Aqua Water Based Gloss	30
Aqua Water Based Satin	32
Aqua Water Based Undercoat	32
Acrylic Satin	33
Professional Gloss	33
Professional Undercoat	34
Satin Finish	34
Eggshell	35
Joncryl Water Based Primer Undercoat	35

Painting interior trim can help protect vital areas of your room and ensure a bold design statement is made. It is crucial for your customer to have a wide variety of trim products to choose from.

Johnstone's Trade is on hand to provide an unbeatable selection of interior trim products. Ranging from Satin to Gloss finishes in solvent and water based formulations to ensure there is a solution for everyone.

The jewel in Johnstone's Trade interior trim range is the Aqua system, which includes a Gloss, Satin and Undercoat, offering you a water based product that applies more like a traditional solvent based equivalent. The Aqua system is quick drying, offers a great sheen level, fantastic coverage and excellent durability, whilst being low odour and stays whiter for longer.

Johnstone's Trade Aqua Guard is our most durable Water Based Satin paint. With brand new Surface Protection technology, it provides the ultimate defence against scratches, wear and tear and greasy finger marks.



QUICK REFERENCE GUIDE FOR TRIM PRODUCTS

APPLICATION SYSTEM	
TOPCOAT	UNDERCOATS
Water Based	Aqua Guard Durable Water Based Satin  Aqua Water Based Undercoat 
	Aqua Water Based Satin  Aqua Water Based Undercoat 
	Aqua Water Based Gloss  Aqua Water Based Undercoat 
	Acrylic Satin Joncryl Water Based Primer Undercoat
Solvent Based	Professional Gloss Professional Undercoat
	Satin Finish Satin Finish (self undercoating)
	Eggshell Eggshell (self undercoating)

The Aqua System... A WATER BASED FINISH THAT OFFERS:



- DURABILITY**
Aqua Guard is our most durable Water Based satin paint.
- APPLICATION**
Applies more like a solvent based finish.
- STAYS WHITER FOR LONGER**
Compared to solvent based finishes.
- WATER BASED**
Low odour and friendlier to the environment.
- GREAT FINISH**
Compared to other water based trim products.

WATER BASED vs SOLVENT BASED

WATER BASED PRODUCT	   	JOB FINISHED					
	UNDERCOAT (x1) Recoat time = 4-6hrs* TOPCOAT (X2) Recoat time = 4-6hrs* TOPCOAT (X2) Recoat time = 4-6hrs* TOPCOAT (X2) Recoat time = 4-6hrs*						
SOLVENT BASED PRODUCT		JOB FINISHED					
	UNDERCOAT (x1) Recoat time = 16-24hrs*						
0HRS	6HRS	12HRS	18HRS	24HRS	24HRS	48HRS	72HRS

*Under normal drying conditions

Water Based System

Water Based Aqua and Aqua Guard products ensure that the job can be completed to the high standard you would expect, saving you time and money.

Solvent Based System

Solvent Based products offer you all the traditional benefits you have come to expect but do not offer the long term cost savings compared to the quicker to recoat water based equivalents.

Aqua Guard Durable Water Based Satin



Contains Surface Protection technology to provide the ultimate defence against scratches, wear and tear and greasy finger marks.

Product Guide

Finish:	Satin
Colour:	16,000 available
Pack size:	1Ltr, 2.5Ltr & 5Ltr
Type:	Water Based



Key Benefit Our most durable Water Based Satin paint

Aqua Water Based Gloss



A high sheen finish formulated to give similar application characteristics to a traditional solvent based gloss.

Product Guide

Finish:	Gloss
Colour:	16,000 available
Pack size:	1Ltr, 2.5Ltr & 5Ltr
Type:	Water Based



Key Benefit A high gloss, quick drying finish that stays whiter for longer compared to a solvent based equivalent



**READY FOR
EVERYDAY
WEAR &
TEAR**



Johnstone's Trade Aqua Guard. Ready for everyday wear and tear.

Johnstone's Trade Aqua Guard Satin is our most durable water based paint for interior wood and metal. With brand new Surface Protection technology, it provides the ultimate defence against scratches, wear and tear and greasy finger marks. It's not just about durability though, Johnstone's Trade Aqua Guard also has advanced application qualities, excellent covering power and long-lasting whiteness.

Visit www.johnstonestrade.com to find out more.



Aqua Water Based Satin



A satin finish which looks, feels and applies more like a solvent based satinwood.

Product Guide

Finish:	Satin
Colour:	16,000 available
Pack size:	1Ltr, 2.5Ltr & 5Ltr
Type:	Water Based



Key Benefit

Excellent flow to leave a great finish that stays whiter for longer than a solvent based satinwood

Aqua Water Based Undercoat



A quick drying undercoat for use with the Aqua and solvent based trim topcoat products.

Product Guide

Finish:	Matt
Colour:	16,000 available
Pack size:	1Ltr, 2.5Ltr & 5Ltr
Type:	Water Based



Key Benefit

Obliterating and quick drying to offer a smooth finish for overcoating


Acrylic Satin



A water based satin finish for use in place of a traditional solvent based product.

Product Guide

Finish:	Satin
Colour:	16,000 available
Pack size:	1Ltr, 2.5Ltr & 5Ltr
Type:	Water Based



Key Benefit

A satin finish which is quick drying and non-yellowing


Professional Gloss



A traditional hardwearing solvent based paint offering a high gloss finish with excellent opacity and coverage.

Product Guide

Finish:	Gloss
Colour:	16,000 available
Pack size:	0.5Ltr, 1Ltr, 2.5Ltr & 5Ltr
Type:	Solvent Based



Key Benefit

Offers a durable high gloss finish


Professional Undercoat



A solvent based undercoat with excellent opacity and obliteration, ideal for use with Professional Gloss.

Product Guide

Finish:	Matt
Colour:	16,000 available
Pack size:	0.5Ltr, 1Ltr, 2.5Ltr & 5Ltr
Type:	Solvent Based



Key Benefit

Ideal for use with all Johnstone's Trade solvent based top coats


Eggshell



A hard wearing solvent based eggshell finish with excellent opacity and coverage.

Product Guide

Finish:	Eggshell
Colour:	16,000 available
Pack size:	0.5Ltr, 1Ltr, 2.5Ltr & 5Ltr
Type:	Solvent Based



Key Benefit

An excellent mid sheen finish for use on interior wood and metal

Satin Finish



A hard wearing solvent based satin finish with excellent opacity and coverage.

Product Guide

Finish:	Satin
Colour:	16,000 available
Pack size:	1Ltr & 2.5Ltr
Type:	Solvent Based



Key Benefit

A durable satin finish for use on interior wood and metal

Joncryl Water-Based Primer Undercoat



An acrylic based primer and undercoat in one, offering high covering power.

Product Guide

Finish:	Matt
Colour:	White
Pack size:	1Ltr, 2.5Ltr & 5Ltr
Type:	Water Based



Key Benefit

Suitable for use over new or bare wood and walls

FLOORING PRODUCTS

Anti-Slip Flortred	40
Flortred	40
Anti-Slip Additive	41
2 Pack Epoxy Water Based Floor Paint	41
2 Pack Epoxy Solvent Based Floor Paint	42
Quick Dry Polyurethane Flortred	42
Road Marking Paint	43
Acid Etch Solution	43

Selecting the right product for the job is absolutely crucial when selecting a floor paint, in order to get the balance between practicality, safety and a quality finish.

Johnstone's Trade range of floor paints is led by the Anti Slip Flortred product, with its highly durable semi-gloss finish, which is slip resistant ensuring that slips in the workplace are kept to a minimum. Resistant to mild chemicals, water, oil and grease, this product is perfect for use on concrete, steel and wooden flooring in areas with high slip risk such as doorways, walkways, ramps and steps.

Also in the range are Johnstone's Trade 2 Pack Epoxy Floor Paints and Road Marking Paint, ensuring you have everything you need to keep floors protected for longer.



QUICK REFERENCE GUIDE FOR FLOORING PRODUCTS



	PRODUCT	*TRAFFIC GUIDE			PRODUCT ATTRIBUTES		
		LOW	MEDIUM	HIGH	DURABILITY	THINNER / CLEANER	FINISH
Water Based	Quick Dry Polyurethane Flortred		■		Medium	Water	Semi-Gloss
	2 Pack Epoxy Water Based Floor Paint		■	■	High	Water	Semi-Gloss
Solvent Based	Anti Slip Flortred	■	■		Medium	Johnstone's TC2	Semi-Gloss
	Flortred	■	■		Medium	Johnstone's TC2	Semi-Gloss
	2 Pack Epoxy Solvent Based Floor Paint		■	■	High	Johnstone's TC1	Semi-Gloss
	Road Marking Paint		■		Medium	Johnstone's TC1	Matt

* TRAFFIC GUIDE EXPLAINED



LOW TRAFFIC: For application in areas subject to low traffic including corridors, walkways, ramps and steps in light industrial factories, warehouses and domestic garages.



MEDIUM TRAFFIC: For application in areas with medium levels of traffic including

corridors, walkways in medium sized industrial factories and warehouses.



HIGH TRAFFIC: For application in areas subject to high foot traffic levels including constant use by articulated lorries, vans, forklifts and cars.

Anti-Slip Flortred



A single pack finish for areas with high slip risk, which is tested in accordance with the HSE BS7976 parts 1-3.

Product Guide

Finish:	Semi Gloss
Colour:	Princess Grey, Dark Grey, Tile Red
Pack size:	5Ltr
Type:	Solvent Based



Key Benefit

Medium Traffic - Walkways, ramps and steps in light industrial factories and warehouses

Suitable for exterior use to highlight walkways, car park spaces and other markings. Not suitable for use on large external areas.

Flortred



A solvent based, semi gloss floor coating for use on concrete, steel and wooden floors.

Product Guide

Finish:	Semi Gloss
Colour:	16,000 available
Pack size:	2.5Ltr & 5Ltr
Type:	Solvent Based



Key Benefit

Medium Traffic - Walkways, ramps and steps in light industrial factories and warehouses

Suitable for exterior use to highlight walkways, car park spaces and other markings. Not suitable for use on large external areas.

Anti-Slip Additive



A silica quartz based additive powder to give smooth floor paints increased anti-slip performance and can be used with all Johnstone's Trade floor paints.

Product Guide

Pack size:	1.5KG
-------------------	-------



Key Benefit

Any area where slip resistance is required


2 Pack Epoxy Water Based Floor Paint



A coating which provides a low odour finish resistant to moderate chemicals and solvents, abrasion and impact.

Product Guide

Finish:	Semi Gloss
Colour:	Princess Grey, Dark Grey, Tile Red, Dark Green, Morning Mist
Pack size:	5Ltr (Base 4Ltr + Activator 1Ltr)
Type:	Water Based



Key Benefit

Heavy Traffic - Floors and primed steelwork where high durability is required

2 Pack Epoxy Solvent Based Floor Paint



A coating that offers a highly durable finish resistant to chemicals and solvents, abrasion and impact.

Product Guide

Finish:	Semi Gloss
Colour:	Princess Grey, Dark Grey, Tile Red, Dark Green, Morning Mist
Pack size:	4Ltr (Base 3Ltr + Activator 1Ltr)
Type:	Solvent Based



Key Benefit

Heavy Traffic - Floors in heavy industrial factories and warehouses

Quick Dry Polyurethane Flortred



A quick drying, easy to apply floor paint, with hardening formulation and excellent durability.

Product Guide

Finish:	Semi-Gloss
Colour:	16,000 available
Pack size:	5Ltr
Type:	Water Based



Key Benefit

Medium Traffic - Resistant to hot tyres and friction, tough stains and scratches

* Exterior areas subject to light domestic use eg. Garage floors, balconies and walkways


Road Marking Paint



A quick drying universal road marking paint with great fade resistant properties.

Product Guide

Finish:	Matt
Colour:	White & Yellow
Pack size:	5Ltr
Type:	Solvent Based



Key Benefit

Interior use for line making in open spaces such as factories, warehouses etc

Acid Etch Solution



A surface pre-treatment prior to painting power floated and smooth concrete floors.

Product Guide

Pack size:	5Ltr
-------------------	------



Key Benefit

Creates a key for Johnstone's Trade Floor Coatings

METAL PRODUCTS

Smooth Metal Paint	48
Steel & Cladding Semi-Gloss Topcoat	48
Quick Drying Steel & Cladding Topcoat	49
Quick Drying Metal Primer	49
Quick Dry Zinc Phosphate Primer	50
Single Pack Primer	50
High Build Zinc Rich Primer	51
Micaceous Iron Oxide	51
Aluminium Paint	52
Agricultural Oxide Paint	52
Mordant Solution	53
Cleaner & Degreaser	53

The Johnstone's Trade Range of Metal Paints has been developed to maximise the life of metal surfaces as well as create an eye catching finish with a wide range of colours available.

Coating metal surfaces is key in avoiding the onset of rust and corrosion which can deteriorate substrates over time, as well as causing them to look tired and degraded. Applying any of Johnstone's Trade Metal Paints will help to ensure that metal surfaces will be given long term protection from corrosion as well as unleashing new life into old metal.

Correctly preparing a metal surface ready to paint will ensure excellent adhesion of a coating to the surface which will allow for maximum protection. The Johnstone's Trade Metal Paints range offers the products required for all metal surfaces to ensure that they can be prepared and made ready for coating.



QUICK REFERENCE GUIDE FOR METAL COATINGS PRODUCTS




IDEAL USAGE		METAL DEFENCE SYSTEM			LIFE CYCLE
		1 ST COAT	2 ND COAT	3 RD COAT	
	Street furniture and railings	Smooth Metal Paint	Smooth Metal Paint	n/a	Up to 5 years
	All year round application to large external expanses of steel and cladding	Quick Dry Zinc Phosphate Primer	Steel & Cladding Semi-Gloss Topcoat	Steel & Cladding Semi-Gloss Topcoat	Up to 5 years
	Internal and external areas with large expanses of steel and cladding	Quick Dry Metal Primer	Quick Dry Steel & Cladding Topcoat	Quick Dry Steel & Cladding Topcoat	Up to 8 years
	All year round application to large external expanses of unpainted steel and cladding	Single Pack Primer	Steel & Cladding Semi-Gloss Topcoat	Steel & Cladding Semi-Gloss Topcoat	Up to 10 years*

*To achieve the 10 year life to first major maintenance Johnstone's Trade Semi-Gloss Topcoat must be applied in accordance with a project specific Johnstone's Trade Technical Specification and BS 6150, 2006 Code of Practice for Painting Buildings.

SYSTEMS FOR **PAINTED** STEEL & CLADDING

SYSTEM FOR **UNPAINTED** STEEL & CLADDING



Smooth Metal Paint



A primer and top coat in one, which can be applied direct to bare, previously painted or rusted surfaces.

Product Guide

Finish:	Semi Gloss
Colour:	10,000 available
Pack size:	0.8Ltr & 2.5Ltr
Type:	Solvent Based



Key Benefit

Offers 5 years to first maintenance, which vastly reduces maintenance costs

Steel & Cladding Semi-Gloss Topcoat



A steel and cladding finish formulated to provide long lasting protection against corrosion on metal.

Product Guide

Finish:	Semi-Gloss
Colour:	16,000 available
Pack size:	5Ltr
Type:	Solvent Based



Key Benefit

Offers excellent anti-corrosive properties with great adhesion to pretreated steel or aluminium

Quick Drying Steel & Cladding Topcoat



An anti-corrosive finish designed for coating new and previously painted metal and profile cladding.

Product Guide

Finish:	Satin
Colour:	10,000 available
Pack size:	5Ltr
Type:	Water Based



Key Benefit

Ideal for spraying over large internal and external metal areas


Quick Drying Metal Primer



A water based, anti-corrosive metal primer that offers excellent adhesion and lasting protection.

Product Guide

Finish:	Eggshell
Colour:	White
Pack size:	2.5Ltr
Type:	Water Based



Key Benefit

Ideal for priming under Johnstone's Trade Quick Drying Steel & Cladding Topcoat

Quick Dry Zinc Phosphate Primer



A wide ranging, quick drying, single pack anti-corrosive primer for steel.

Product Guide

Finish:	Matt
Colour:	White, Grey & Red Oxide
Pack size:	2.5Ltr & 5Ltr
Type:	Solvent Based



Key Benefit

Suitable for use under a wide variety of conventional finishes offering excellent adhesion


High Build Zinc Rich Primer



A rust inhibiting primer for use on iron and steel. Suitable as a primer or a finish coat.

Product Guide

Finish:	Matt
Colour:	Grey
Pack size:	1Ltr & 5Ltr
Type:	Solvent Based



Key Benefit

Ideal for galvanised and ferrous metal surfaces

Single Pack Primer



A fast drying, single pack, anti-corrosive primer for use under a variety of finishes.

Product Guide

Finish:	Matt
Colour:	Light Grey
Pack size:	5Ltr
Type:	Solvent Based



Key Benefit

Offers excellent anti-corrosive properties with great adhesion to pretreated steel or aluminium


Micaceous Iron Oxide



A high build, urethane modified alkyd with micaceous iron oxide for ultimate protection for structural steel.

Product Guide

Finish:	Matt
Colour:	Silver & Natural (Dark Grey)
Pack size:	5Ltr
Type:	Solvent Based



Key Benefit

Supreme weatherability and UV resistance

Aluminium Paint



A coating for use on prepared metal surfaces such as storage tanks, ducting and pipe work.

Product Guide

Finish: Metallic

Colour: Silver

Pack size: 2.5Ltr & 5Ltr

Type: Solvent Based



Key Benefit

Can withstand high temperatures of up to 150°C

Agricultural Oxide Paint



A protective coating for interior and exterior use on most metal surfaces offering excellent weather resistance.

Product Guide

Finish: Semi Gloss

Colour: Grey, Red & Green

Pack size: 5Ltr

Type: Solvent Based



Key Benefit

Offers excellent weather resistance

Mordant Solution




A pre-treatment for galvanised steel which converts the surface to one ensuring excellent adhesion.

Product Guide

Colour: Blue

Pack size: 5Ltr

Type: Solvent Based



Key Benefit

Prepares galvanised surfaces for coatings

Cleaner & Degreaser



Designed as a degreasing pre-treatment for contaminated surfaces prior to painting.

Product Guide

Colour: Clear

Pack size: 5Ltr

Type: Water Based



Key Benefit

Excellent for degreasing oily surfaces prior to painting.

HYGIENE PRODUCTS

Microbarr Anti Bacterial Acrylic Matt	59
Microbarr Anti Bacterial Acrylic Eggshell	59
2 Pack Epoxy Water Based Wall Coating	60
Anti-Mould Acrylic	60
Stopmould	61
Sterilisation Wash	61

Reducing the spread of bacteria that can lead to infection is essential in healthcare environments and that's why Johnstone's Trade Hygiene Coatings range is the first stop for decorators.

Developed to help prevent the spread of harmful bacteria that can lead to E. coli and 'super bugs' like MRSA. Johnstone's Trade Microbarr Anti Bacterial paints are water based, low odour formulations which provide tough, washable surfaces. Using Silver Ion technology, Johnstone's Trade Microbarr Anti Bacterial Coatings provide hygienic solutions for interior surfaces.

Also in the Johnstone's Trade Hygiene Coatings range is the Anti-Mould Acrylic and Stop Mould, which are suitable for use on new and aged plaster in damp areas and help prevent paint surfaces being damaged by mould growth.



QUICK REFERENCE GUIDE
FOR HYGIENE PRODUCTS



HTM 56
CATEGORY 1-3

Johnstone's Trade Microbarn Anti Bacterial Coatings have been developed for use in areas where hygiene protection is required.



HTM 56
CATEGORY 4-6

In areas where cleanliness is important but anti bacterial coatings are not required, choose products that are durable and washable. See pages 21 & 22.

HTM 56 CLASSIFICATION	SURFACE AREAS	
CATEGORY 1	Scrub rooms, theatres & major treatment rooms	
CATEGORY 2	Food preparation & catering	
CATEGORY 3	Utility & disposal areas	

HTM 56 CLASSIFICATION	SURFACE AREAS	
CATEGORY 4	Showers, bathrooms & laundry rooms	
CATEGORY 5	Circulation areas & day rooms	
CATEGORY 6	Administration offices & staff rooms	

The only
thing we
want to
spread is
paint.



JOHNSTONE'S
TRADE

Johnstone's Trade Microbarr Anti Bacterial coatings are high performance products ideal for when hygiene is essential.

Using proven Silver Ion Technology Johnstone's Trade Microbarr Anti Bacterial coatings actively inhibit bacteria and provide a tough, washable surface, ideal for areas subject to frequent cleaning.

For more information call 01924 354354
or visit www.johnstonestrade.com



Microbarr Anti Bacterial Acrylic Matt



A durable coating developed to inhibit the growth of bacteria, such as MRSA and E.coli.

Product Guide

Finish:	Matt
Colour:	16,000 available
Pack size:	5Ltr
Type:	Water Based



Key Benefit

Provides a tough, washable surface ideal for areas subject to frequent cleaning

Microbarr Anti Bacterial Acrylic Eggshell



A tough acrylic based coating designed to inhibit the growth of bacteria, such as MRSA and E.coli.

Product Guide

Finish:	Eggshell
Colour:	16,000 available
Pack size:	5Ltr
Type:	Water Based



Key Benefit

Provides a durable and washable surface ideal for areas subject to robust cleaning

2 Pack Epoxy Water Based Wall Coating



A two pack, durable semi-gloss finish for use on interior walls, offering a tough abrasion resistant film.

Product Guide

Finish:	Semi Gloss
Colour:	White
Pack size:	2.5Ltr (Base 2Ltr + Activator 0.5Ltr)
Type:	Water Based



Key Benefit

Ideal for areas with high contamination and is resistant to mild cleaning chemicals and solvents


Stopmould



Formulated for areas subjected to conditions which are conducive to mould growth.

Product Guide

Finish:	Matt
Colour:	Brilliant White & Magnolia
Pack size:	2.5Ltr & 5Ltr
Type:	Water Based



Key Benefit

Suitable for use on new and aged plaster in damp areas

Anti-Mould Acrylic



A durable coating for use on walls & ceilings for protection against algal and fungal growth.

Product Guide

Finish:	Matt
Colour:	7,000 available
Pack size:	2.5Ltr & 5Ltr
Type:	Water Based



Key Benefit

Inhibits mould and algal growth, ideal for use in food preparation areas

Sterilisation Wash



A water based solution formulated for the control and treatment of fungal and algal growth prior to painting.

Product Guide

Colour:	Clear
Pack size:	5Ltr
Type:	Water Based



Key Benefit

Ideal for use on walls and ceilings both internally and externally



PERFORMANCE
COATINGS

ANTI GRAFFITI PRODUCTS

Public buildings are prime targets for vandalism through the use of spray paints, inks, marker pens and paints. Removing marks can be an expensive process, which is why Johnstone's Trade range of Anti Graffiti coatings provides the ideal solution.

Johnstone's Trade Anti Graffiti Coatings have been formulated to provide a permanent water-based, easily cleaned Anti Graffiti finish for all types of internal and external surfaces, including brick, masonry, natural stonework and previously painted surfaces. On application it provides a seamless tile-like surface enabling the easy removal of graffiti, grease and other contaminants.




2 Pack Anti-Graffiti Glaze



A water based, easily cleaned anti-graffiti glaze for all types of internal and external surfaces.

Product Guide

Finish:	Satin
Colour:	Clear
Pack size:	5Ltr (Base 4.3Ltr + Activator 700ml)
Type:	Water Based



Key Benefit

A permanent system, which makes for the easy removal of graffiti, grease and other contaminants


2 Pack Anti-Graffiti Finish



A water based, easily cleaned anti-graffiti finish for all types of internal and external surfaces.

Product Guide

Finish:	Satin
Colour:	30 available
Pack size:	5Ltr (Base 4.3Ltr + Activator 700ml)
Type:	Water Based



Key Benefit

Provides a tough, washable surface ideal for areas subject to frequent cleaning

FLAME RETARDANT PRODUCTS

Flame Retardant Durable Matt	67
Flame Retardant Acrylic Eggshell	67
Intumescent Upgrade Acrylic Matt	68
Intumescent Upgrade Acrylic Eggshell	68
Intumescent Upgrade 2 Pack Primer	69
Intumescent Upgrade Base Coat	69

To simplify the specification process and reduce the uncertainty surrounding paint for redecoration over existing paint coatings, Johnstone's Trade offers two Flame Retardant Systems.

The Flame Retardant Top Coats including Durable Matt and Acrylic Eggshell are to be applied as a minimum of a two coat system and are designed to inhibit the spread of flame. Both products are ideal for application onto new unpainted ceiling and broadwall surfaces, as well as for painting over sound existing coatings with up to 10 like-for-like paint layers, maintaining a surface at Class 0.

The Intumescent Upgrade System is one of only a few complete solutions on the market today, which has been specifically formulated and fully tested in accordance with BS476 Parts 6&7. The 4 coat system allows ceiling and broadwall surfaces to be upgraded from the worst case Class 4 substrate to the highest specification for surface spread of flame and fire propagation, Class 0, providing that the existing substrate is sound for redecoration.





SLOWS THE SPREAD OF FLAME

Flame retardant paint for broadwall surfaces



Flame Retardant Durable Matt



A flame retardant top coat designed to inhibit the spread of flame over broadwall surfaces.

Product Guide

Finish:	Matt
Colour:	16,000 available
Pack size:	5Ltr
Type:	Water Based



Key Benefit

A two coat system which maintains an existing surface at Class 0

Flame Retardant Acrylic Eggshell



A flame retardant top coat designed to inhibit the spread of flame over broadwall surfaces.

Product Guide

Finish:	Eggshell
Colour:	16,000 available
Pack size:	5Ltr
Type:	Water Based



Key Benefit

A two coat system which maintains an existing surface at Class 0


Flame Retardant Intumescent Upgrade Acrylic Matt



A high quality, hard wearing top coat for use as part of the Johnstone's Trade Intumescent Upgrade 4 Coat System.

Product Guide

Finish:	Matt
Colour:	7,000 available
Pack size:	5Ltr
Type:	Water Based



Key Benefit

Contact PPG Technical Advisory Department for detailed advice and specifications


Flame Retardant Intumescent Upgrade Acrylic Eggshell



A high quality, hard wearing top coat for use as part of the Johnstone's Trade Intumescent Upgrade 4 Coat System.

Product Guide

Finish:	Eggshell
Colour:	7,000 available
Pack size:	5Ltr
Type:	Water Based



Key Benefit

Contact PPG Technical Advisory Department for detailed advice and specifications


Flame Retardant Intumescent Upgrade 2 Pack Primer



An adhesion promoting primer for use as part of the Johnstone's Trade Intumescent Upgrade 4 Coat System.

Product Guide

Finish:	Matt
Colour:	White
Pack size:	5Ltr (Base 4Ltr + Activator 1Ltr)
Type:	Water Based



Key Benefit

Contact PPG Technical Advisory Department for detailed advice and specifications


Flame Retardant Intumescent Upgrade Base Coat



A fast acting medium textured intermediate coat for use as part of the Johnstone's Trade Intumescent Upgrade 4 Coat System.

Product Guide

Finish:	Medium textured
Colour:	White
Pack size:	10Ltr
Type:	Water Based



Key Benefit

Contact PPG Technical Advisory Department for detailed advice and specifications

SPECIALIST PRODUCTS

Quick Dry Matt Blackboard Paint	72
Flat Oil Paint	72
Anti-Condensation Paint	73
Damp Proof Paint	73
Heavy Duty Glaze	74
Black Bitumen	74
Solar Reflective Paint	75

There will always be a time when you're on a job that requires a product that's a little bit out of the ordinary and that's where Johnstone's Trade Specialist Paint products come in.

The range boasts contrasting qualities, but all offer the same level of lasting finish and performance required to do the project.

Johnstone's Trade Black Bitumen, Flat Oil Paint, Quick Dry Matt Blackboard Paint, Damp Proof Paint and Heavy Duty Glaze make up the range and offer a variety of coatings for a wide range of applications.



Quick Dry Matt Blackboard Paint



A smooth, non reflective black paint formulated for interior use where a durable flat matt finish is required.

Product Guide

Finish: Flat Matt

Colour: Black

Pack size: 1Ltr & 2.5Ltr

Type: Water Based



Key Benefit

A non-reflective dead flat matt finish suitable for a variety of applications

Anti-Condensation Paint



A thick matt paint for use on interior walls which significantly reduces condensation.


Product Guide

Finish: Matt

Colour: Brilliant White

Pack size: 5Ltr

Type: Water Based



Key Benefit

Ideal for use in areas prone to high moisture

Flat Oil Paint



A traditional matt paint formulated for interior use on wood and metal surfaces.

Product Guide

Finish: Matt

Colour: Brilliant White

Pack size: 2.5Ltr & 5Ltr

Type: Solvent Based



Key Benefit

Provides an excellent smooth even finish

Damp Proof Paint



A Pliolite® resin based paint for use over damp walls to prime and seal in areas such as cellars.

Product Guide

Finish: Matt

Colour: White

Pack size: 5Ltr

Type: Solvent Based



Key Benefit

Can be left as a finish on its own or can be over painted with Anti-Mould Acrylic

Heavy Duty Glaze



A tough durable coating for added surface protection in high traffic environments.


Product Guide

Finish: Gloss

Colour: Clear

Pack size: 5Ltr

Type: Water Based



Key Benefit

Can be applied over all Johnstone's Trade emulsion paints

Solar Reflective Paint



A solar reflective paint ideal for use on roofs exposed to direct sunlight.


Product Guide

Finish: Semi Gloss

Colour: Silver

Pack size: 5Ltr

Type: Solvent Based



Key Benefit

A one coat application that reduces heat build up

Black Bitumen



A corrosion resistant waterproofing paint for exterior use on metal and concrete surfaces.


Product Guide

Finish: Semi Gloss

Colour: Black

Pack size: 2.5Ltr & 5Ltr

Type: Solvent Based



Key Benefit

Ideal for waterproofing exposed surfaces

PRIMER PRODUCTS

Ultra Primer Sealer	80
Advanced Multi-Surface Primer	80
Stain Block Primer	81
Advanced Stain Block Primer	81
Universal Primer	82
Alkali Resisting Primer	82
Wood Primer	83
Aluminium Wood Primer	83
MDF Primer	84
Ultra Primer & Finish	84

All decorators know the importance of using the correct primer within the overall scheme of a project. Primer application will suitably prepare a surface to be painted, ensuring improved adhesion of the paint and prevent unsightly stains bleeding through the top coat.

Johnstone's Trade boasts an extensive range of primers fit for any job, with the Ultra Primer Sealer proving to be one of the most popular. It is a high performance, quick drying primer sealer that offers good adhesion and seals porous surfaces.

Also forming a major part of Johnstone's Trade range of Primers is the Advanced Stain Block Primer, which is the perfect solution for containing unsightly stains caused by nicotine, smoke, marker pen, wax crayon, tannin and graffiti.



QUICK REFERENCE GUIDE FOR PRIMER PRODUCTS


WHY PRIME?

1. Helps reduce the number of finish coats
2. Promotes an even and consistent finish colour
3. Prevents dark colours from showing through
4. Extends the durability of the topcoat
5. Locks in stains, odours and marks on the walls
6. Helps paint adhere to difficult surfaces
7. Prevents corrosion and decay



ULTRA PRIMER SEALER – the everyday primer

Best For:
Ceramic and glazed tiles, wood panelling, glossy painted surfaces, PVC piping, wall coverings, masonry, ceiling tiles.



Examples painted in Johnstone's Trade Ultra Primer Sealer on different substrates.

INTERIOR SURFACES						
Aluminium & Galvanised Metal	Ferrous Metal	Timber	Plaster	Brick/Concrete	MDF	Melamine/Formica

EXTERIOR SURFACES						
Aluminium & Galvanised Metal	Ferrous Metal	Wood	Brick & Concrete	Render	Bitumen	MDF

STAINS & ODOURS				
Graffiti	Smoke/Fire	Water stains	Nicotine	Odours

GENERAL PRIMERS	INTERIOR SURFACES							EXTERIOR SURFACES						STAINS & ODOURS					
	Aluminium & Galvanised Metal	Ferrous Metal	Timber	Plaster	Brick/Concrete	MDF	Melamine/Formica	Aluminium & Galvanised Metal	Ferrous Metal	Wood	Brick & Concrete	Render	Bitumen	MDF	Graffiti	Smoke/Fire	Water stains	Nicotine	Odours
	Alkali Resisting Primer				■	■						■	■					■	■
Universal Primer	■	■	■	■	■			■	■	■	■								
Wood Primer			■							■									

SPECIALIST PRIMERS	INTERIOR SURFACES							EXTERIOR SURFACES						STAINS & ODOURS						
	Aluminium & Galvanised Metal	Ferrous Metal	Timber	Plaster	Brick/Concrete	MDF	Melamine/Formica	Aluminium & Galvanised Metal	Ferrous Metal	Wood	Brick & Concrete	Render	Bitumen	MDF	Graffiti	Smoke/Fire	Water stains	Nicotine	Odours	
	Ultra Primer Sealer			■	■	■		■				■	■							
	Stain Block Primer					■	■					■	■			■	■	■	■	
	Advanced Stain Block Primer				■	■						■	■	■		■	■	■	■	■
	Advanced Multi-Surface Primer	■	■	■	■	■	■	■	■	■	■	■	■	■						
	MDF Primer							■						■						
Ultra Primer & Finish	■		■	■	■															
Aluminium Wood Primer	■		■					■		■			■							

Please note all new surfaces must be suitably primed before a top coat is applied.


Ultra Primer Sealer



A quick drying primer sealer manufactured from quality pigments and tough acrylic resin.

Product Guide

Finish:	Matt
Colour:	Brilliant White
Pack Size:	1Ltr, 2.5Ltr & 5Ltr
Type:	Water Based



Key Benefit

A 3 in 1 primer, sealer and stain blocker, ideal for everyday use

Stain Block Primer



A low odour stain blocker which prevents stains bleeding through from the substrate.

Product Guide

Finish:	Matt
Colour:	White
Pack Size:	1Ltr & 5Ltr
Type:	Solvent Based



Key Benefit

Ideal for locking in water stains

Advanced Multi-Surface Primer



An ultimate adhesion primer with outstanding grip to difficult surfaces and has anti-corrosive properties.

Product Guide

Finish:	Eggshell
Colour:	White
Pack Size:	1Ltr & 5Ltr
Type:	Water Based



Key Benefit

Excellent adhesion to non-porous surfaces such as glazed tiles, melamine and galvanised steel


Advanced Stain Block Primer



The ultimate, shellac based, stain and odour blocker for use on heavily stained surfaces.

Product Guide

Finish:	Matt
Colour:	Brilliant White
Pack Size:	1Ltr & 2.5Ltr
Type:	Solvent Based



Key Benefit

Shellac based to seal problematic surfaces and prevent bleeding, staining and odours

Universal Primer



A solvent based primer for use on wood, metal and masonry.

Product Guide

Finish:	Matt
Colour:	White & Red Oxide
Pack Size:	1Ltr, 2.5Ltr & 5Ltr
Type:	Solvent Based



Key Benefit

Suitable for preparation of multiple surface types


Wood Primer



A solvent based primer for soft wood and non-oily hard woods suitable for interior and exterior use.

Product Guide

Finish:	Matt
Colour:	White
Pack Size:	1Ltr, 2.5Ltr & 5Ltr
Type:	Solvent Based



Key Benefit

For use on softwood and non-oily hardwood

Alkali Resisting Primer



A primer which can be used as a sealer on powdery surfaces, concrete, cement, unpainted plaster and render.

Product Guide

Finish:	Matt
Colour:	White
Pack Size:	2.5Ltr & 5Ltr
Type:	Solvent Based



Key Benefit

Binds powdery surfaces and resists alkali attacks

Aluminium Wood Primer



Provides a barrier against the oily exudations of naturally resinous and scorched timber.

Product Guide

Finish:	Matt
Colour:	Grey
Pack Size:	1Ltr & 5Ltr
Type:	Solvent Based



Key Benefit

Ideal for sealing smoke and scorched damaged timber

MDF Primer



A water based primer formulated for use on medium density fibreboards and other wood composites.

Product Guide

Finish:	Matt
Colour:	White
Pack Size:	1Ltr, 2.5Ltr & 5Ltr
Type:	Water Based



Key Benefit

Excellent adhesion and seals routed MDF

Ultra Primer & Finish



A water based primer and finish in one ideal for use over larger surface areas and provides a suitable base for finishing.



Product Guide

Finish:	Eggshell
Colour:	Brilliant White
Pack Size:	10Ltr
Type:	Water Based



Key Benefit

Excellent spray application over multiple surface types

07

PRIMERS

LOCK IN STAINS, SEAL SURFACES, ENHANCE ADHESION, AND PREPARE FOR THE PERFECT FINISH COAT.



PERFORMANCE COATINGS

Our dedicated range of performance coatings for specialist applications



01. FLOORS



02. METAL



03. HYGIENE



04. FLAME RETARDANTS



05. ANTI-GRAFFITI



06. SPECIALIST



07. PRIMERS

EXTERIOR PRODUCTS

Smooth Masonry	93
Silicone Masonry	93
Pliolite® Based Masonry Finish	94
Self-Cleaning Masonry	94
Textured Masonry	95
Jontex High Build Textured Masonry	95
Stabilising Solution	96
Quick Dry Stabilising Solution	96
Water Seal	97
Flexible Gloss	97
Flexible Satin	98
Flexible Primer Undercoat	98

The Johnstone's Trade Stormshield range of exterior paints have been developed for undertaking the arduous job of protecting the exterior of buildings.

All kinds of pollution contribute to the deterioration of building exteriors, causing irreversible damage to the surface. Johnstone's Trade Stormshield paints have been formulated to protect against:

- UV light
- Dirt accumulation
- Mould and algae

Many products in the Johnstone's Trade Stormshield range have BBA (British Board of Agrément) approval. Products carrying the BBA logo have undergone rigorous independent testing and have been awarded life expectancies of more than 8, 10 or 15 years.

For peace of mind, choose a colour from the Voice of Colour exterior collection for protection against UV degradation.

Improved Smooth Masonry now with Quick Rain Resistance technology is rain resistant after 20 minutes and can be applied from 2°C and rising*, extending the season for Water Based Masonry paints.



*at 23° and 50% humidity


QUICK REFERENCE GUIDE FOR EXTERIOR PAINT PRODUCTS



Standard smooth masonry paints



Improved Johnstone's Stormshield Smooth Masonry



Standard smooth masonry paints can be affected by the rain causing run outs which ruin the finish. Innovative Quick Rain Resistance technology alters the binding process ensuring your new paint work is rain resistant after only 20 minutes*.



PRODUCT INFORMATION

- Rain resistant after 20 minutes
- Improved spread rate, opacity and colour retention
- Applied from temperatures 2°C & rising*
- 15+ years BBA Approved life expectancy

Confidently schedule your exterior projects with improved Johnstone's Smooth Masonry paint.



*at 23° and 50% humidity

PRIMARY FEATURE

Exterior PRODUCTS	PRIMARY FEATURE
Smooth Masonry	Premium water based coating for exterior use with innovative Quick Rain Resistance technology.
Pliolite Masonry	A durable solvent based masonry paint for extreme conditions
Self-Cleaning Masonry	Formulated with Nano technology for a dirt resisting finish
Textured Masonry	Fine textured masonry suitable for concrete, brick work etc. that covers fine cracks
High Build Masonry	A high build, heavily textured one coat finish designed for badly weathered surfaces
Silicone Masonry	Full silicone coating designed to provide excellent levels of water and weather resistance.

Quick Rain Resistance	Anti-Carbonation	Application Temp	Breathable	BBA Certified	Textured	Self Clean	Covers Small Cracks
Yes	Yes	From 2°C	Yes	Yes			
Yes	No	From -5°C	Yes	Yes			
	No	From 10°C	Yes	No		■	
	Yes	From 10°C	Yes	Yes	■		■
	Yes	From 10°C	No	Yes	■		■
	Yes	From 8°C	Yes	Yes			■

QUICK REFERENCE GUIDE FOR STORMSHIELD PRODUCTS



PRODUCT	CASE STUDIES	CASE STUDIES	LIFE CYCLE
SELF-CLEANING MASONRY	<p>Haydock Park Racecourse has a clean and bright new look with Johnstone's Self-Cleaning Masonry paint.</p> 	<p>One of Dublin's oldest department stores, Brown Thomas store, gets a stylish new look with Johnstone's Self-Cleaning Masonry paint.</p> 	15 years
PLIOLITE® BASED MASONRY FINISH	<p>Ritson Wharf, Maryport needed exterior coatings to provide outstanding durability and resistance to adverse weather conditions.</p> 	<p>Quebec House, Portsmouth is one of the oldest wooden structures in England and faces some of the country's most extreme weather conditions.</p> 	15 years
SMOOTH MASONRY	<p>Lowlands, a Grade II listed mansion, boasts a vibrant cultural heritage which has now been preserved for future generations with Johnstone's Trade Smooth Masonry paint.</p> 	<p>Saxons Farm in Heywood, Oldham is set to keep its fresh new look for even longer thanks to the use of Johnstone's Trade Smooth Masonry paint.</p> 	15 years

Smooth Masonry

STORMSHIELD

A water based masonry paint that is rain resistant after just 20 minutes* and can be applied from 2° and rising thanks to innovative Quick Rain Resistance technology.

Product Guide

Finish:	Matt
Colour:	1,502 available
Pack Size:	2.5Ltr, 5Ltr & 10Ltr
Type:	Water Based

**Key Benefit**

Improved Smooth Masonry paint that extends the season for Water Based exterior products with a BBA certification for 15 years life expectancy

*at 23° and 50% humidity


Silicone Masonry

STORMSHIELD

Silicone technology provides high levels of breathability whilst repelling surface water to ensure long lasting protection.

Product Guide

Finish:	Clear
Colour:	See Exterior Colour Collection
Pack Size:	5Ltr
Type:	Solvent Based

**Key Benefit**

High performance full silicone coating and BBA certification for 15 years life expectancy

LET IT RAIN!



Johnstone's Trade Smooth Masonry, for Quick Rain Resistance.

Unpredictable weather conditions making it difficult to plan your jobs? Now you can confidently schedule your exterior projects thanks to new Johnstone's Trade Smooth Masonry with Quick Rain Resistant technology. Johnstone's Trade improved Smooth Masonry is now rain resistant after 20 minutes, delivering a beautifully smooth result. Can be applied between temperatures of 2° and 35°. Available at your local Johnstone's stockist.

Visit www.johnstonestrade.com to find out more.



Pliolite® Based Masonry Finish

STORMSHIELD


A solvent based paint that can be applied in temperatures of -5°C and is shower resistant in 20 minutes.

Product Guide

Finish:	Matt
Colour:	1,502 available
Pack Size:	5Ltr
Type:	Solvent Based



Key Benefit

All year round application and BBA certification for 15 years life expectancy


Textured Masonry

STORMSHIELD


A high quality fine textured water based acrylic resin masonry finish that bridges hair-line cracks.

Product Guide

Finish:	Textured
Colour:	1,502 available
Pack Size:	5Ltr
Type:	Water Based



Key Benefit

Fine sand textured finish and BBA certification for 15 years life expectancy


Self-Cleaning Masonry

STORMSHIELD


Formulated with ground breaking Nano technology to give an extremely smooth and dirt resistant finish.

Product Guide

Finish:	Matt
Colour:	1,502 available
Pack Size:	5Ltr & 10Ltr
Type:	Water Based



Key Benefit

Exterior surfaces stay cleaner for longer. Life expectancy 15 years

Jontex High Build Textured Masonry

STORMSHIELD


A high build, heavily textured, one coat finish formulated for use on exterior surfaces.

Product Guide

Finish:	Textured
Colour:	Brilliant White, Magnolia & County Cream
Pack Size:	10Ltr
Type:	Water Based



Key Benefit

Offers long term protection to badly weathered masonry surfaces and BBA certification for 15 years life expectancy.

Stabilising Solution

STORMSHIELD

Binds friable, absorbant and chalking substrates to produce a surface suitable for further decoration.

Product Guide

Finish:	Clear
Colour:	White & Clear
Pack Size:	5Ltr
Type:	Solvent Based



Key Benefit

Designed for use under masonry coatings. BBA certification for 15 years life expectancy


Quick Dry Stabilising Solution

STORMSHIELD

Binds friable, chalking and absorbant surfaces ensuring suitability for further decoration.

Product Guide

Finish:	Clear
Colour:	Clear
Pack Size:	5Ltr
Type:	Water Based



Key Benefit

A quick drying stabilising formulation which can be over coated in 2-4 hours


Water Seal

STORMSHIELD

A sealer for use over porous masonry surfaces to protect against water ingress.

Product Guide

Finish:	Clear
Colour:	Clear
Pack Size:	5Ltr
Type:	Solvent Based



Key Benefit

Provides a water repellent surface whilst allowing the substrate to breathe

Flexible Gloss

STORMSHIELD

A flexible and microporous finish for increased durability performance over conventional gloss products.

Product Guide

Finish:	Gloss
Colour:	16,000 available
Pack Size:	1Ltr & 2.5Ltr
Type:	Solvent Based



Key Benefit

Offering up to 8 years life expectancy and is resistant to blistering and cracking

To achieve the 8 year life to first major maintenance Flexible Gloss must be applied in accordance with a project specific Johnstone's Trade Technical Specification and BS 6150, 2006 Code of Practice for Painting Buildings.

Flexible Satin

STORMSHIELD



A flexible coating that is microporous and provides increased durability over conventional satin products.

Product Guide

Finish:	Satin
Colour:	16,000 available
Pack Size:	1Ltr & 2.5Ltr
Type:	Solvent Based



Key Benefit

Offering up to 8 years life expectancy and is resistant to blistering and cracking

To achieve the 8 year life to first major maintenance Flexible Satin must be applied in accordance with a project specific Johnstone's Trade Technical Specification and BS 6150, 2006 Code of Practice for Painting Buildings.

Flexible Primer Undercoat

STORMSHIELD



A microporous primer and undercoat in one for use in conjunction with the Flexible Gloss and Flexible Satin topcoats.

Product Guide

Finish:	Matt
Colour:	16,000 available
Pack Size:	1Ltr & 2.5Ltr
Type:	Solvent Based



Key Benefit

Highly flexible coating to maintain lasting protection

To achieve the 8 year life to first major maintenance Flexible Primer Undercoat must be applied in accordance with a project specific Johnstone's Trade Technical Specification and BS 6150, 2006 Code of Practice for Painting Buildings.



Silicone Masonry Paint

Ultimate in...

- Breathable Paint
- Durability
- Weather Resistance
- Building Protection



STORMSHIELD

IT'S CALLED STORMSHIELD FOR A REASON

EXTERNAL WALL INSULATION & RENDERS

High Performance Insulation Panel Adhesive	104
High Performance Key Coat Primer	104
High Performance Render Basecoat	105
High Flexibility Render Basecoat	105
Silicone Enhanced Render Primer	106
Silicone Enhanced Render	106
Full Silicone Render Primer	107
Full Silicone Render	107
High Performance Dash Receiver Render	108
High Performance Brick Effect Render	108
One Coat Render	109
High Performance Scratch Render	109
High Performance Brick Slip Mortar	110
High Performance Brick Slip Adhesive	110

The Johnstone's Trade Stormshield range of External Wall Insulation (EWI) and Render products have been developed to provide lasting protection and insulation for the exterior of buildings.

External Wall Insulation is a system of components that can be applied on the outside of a building to insulate, protect and enhance it. Johnstone's Trade Stormshield EWI systems are one of the best ways to protect a building and its residents from the elements. Our systems insulate properties, reduce energy costs and offer long term building protection.

Additionally, Johnstone's Trade offer a comprehensive range of high performance Render systems for direct application to a diverse number of external substrates.

Many of the products in the Johnstone's Trade Stormshield EWI and Render range have been certified by the BBA (British Board of Agrément), demonstrating a life expectancy of up to 30 years.




EWI SYSTEMS

Johnstone's Trade EWI Systems provide everything needed to install a fully BBA approved EWI solution including insulation, boards, fixings, profiles, basecoats and renders.

At least 35% of heat loss from a typical solid wall property can be through the wall. Our full systems provide significant thermal benefits as well as a high performance and long lasting render finish in a wide range of options.

Typical EWI system configuration



FINISH OPTIONS

Both EWI and Render systems are offered in a wide range of finishes including silicone enhanced, full silicone, traditional scratch, dash and brick effect renders. We also supply brick slip systems for clients who require a fully authentic brick finish on a property. It's also possible to finish our basecoats and cement renders with Johnstone's Trade Stormshield paints.



Silicone Enhanced Render



Brick Effect Render



Dash Render

RENDER SYSTEMS

Deciding which Render system to use on your project depends on a number of factors including the type of substrate the render is to be applied to. This table provides a general overview of the systems available within the Johnstone's Trade Stormshield range.

* Johnstone's Trade Stormshield **OCR** is not BBA approved as a system but Johnstone's Trade Stormshield Silicone Enhanced Render and Masonry Paints typically carry BBA certification.

Key Coat Primer may be needed dependent on existing substrate condition and surface finish

SYSTEM	FINISH	BBA APPROVED	SUBSTRATE			
			CONCRETE	BRICKWORK	BLOCKWORK	RENDER CARRIER BOARD
High Flexibility	Full Silicone Render	■				■
	Silicone Enhanced Render	■				■
High Performance	Full Silicone Render	■	■	■	■	
	Silicone Enhanced Render	■	■	■		
	Dash Render		■	■		
	Brick Effect Render		■	■		
Scratch Render	Traditional Scratch Render	■	■	■		
	Silicone Enhanced Render		■	■		
OCR*	Silicone Enhanced Render		■	■		
	Masonry Paint		■	■		

High Performance Insulation Panel Adhesive

STORMSHIELD


A cement based adhesive for applying insulation panels to most masonry substrates.

Product Guide

Colour: Grey

Pack Size: 25kg



Key Benefit

Easy, high strength fixing of insulation panels to masonry substrates

High Performance Key Coat Primer

STORMSHIELD


Designed to prepare masonry and control the suction of substrates to promote adhesion of render systems.

Product Guide

Colour: Grey

Pack Size: 25kg



Key Benefit

Formulated to give excellent adhesion and control substrate suction

High Performance Render Basecoat

STORMSHIELD


Provides an all weather, tough and long lasting basecoat for use under render finishing coats.

Product Guide

Colour: Grey

Pack Size: 25kg



Key Benefit

BBA approved basecoat for masonry and EWI system application

High Flexibility Render Basecoat

STORMSHIELD


High performance basecoat with high adhesion, specially formulated for application to render carrier boards.

Product Guide

Colour: Grey

Pack Size: 25kg



Key Benefit

High flexibility basecoat for substrates subject to movement

Silicone Enhanced Render Primer

STORMSHIELD


Developed as a primer to prepare basecoats prior to the application of Silicone Enhanced Render.

Product Guide

Finish:	Matt
Colour:	200+ colours available
Pack Size:	15Ltr

LONG TERM PROTECTION



WATER REPELLENT



COVERAGE



APPLY BY BRUSH/ROLLER



Key Benefit

Primes and protects basecoat prior to application of the finishing render

Silicone Enhanced Render

STORMSHIELD


A tough and durable silicone enhanced thin coat render for long lasting exterior weather protection.

Product Guide

Finish:	Matt
Colour:	200+ colours available
Pack Size:	25kg
AGG Size:	1.0mm & 1.5mm

LONG TERM PROTECTION



WATER REPELLENT



COVERAGE



APPLY BY SPRAY/TROWEL



Key Benefit

BBA approved, highly durable all weather exterior render coating

Full Silicone Render Primer **STORMSHIELD**



Developed as a primer to prepare basecoats prior to the application of Full Silicone Render.

Product Guide

Finish:	Matt
Colour:	150+ colours available
Pack Size:	25kg

LONG TERM PROTECTION



WATER REPELLENT



COVERAGE



APPLY BY BRUSH/ROLLER



Key Benefit

Primes and protects basecoat prior to application of the finishing render

Full Silicone Render **STORMSHIELD**



A tough and durable full silicone thin coat render for long lasting exterior weather protection.

Product Guide

Finish:	Matt
Colour:	150+ colours available
Pack Size:	25kg
AGG Size:	1.0mm, 1.5mm & 2.0mm

LONG TERM PROTECTION



WATER REPELLENT



COVERAGE



APPLY BY SPRAY/TROWEL



Key Benefit

BBA approved highly durable all weather exterior coating with full silicone performance

High Performance Dash Receiver Render

STORMSHIELD



A cement based, fibre reinforced coloured render developed to create an ideal base for dashing aggregates.

Product Guide

Colour: 14 colours available

Pack Size: 25kg



Key Benefit

Provides a coloured render finish perfect for the application of dashing aggregates

One Coat Render

STORMSHIELD



A traditionally formulated sand, cement and lime render, modified for ease of application and workability.

Product Guide

Colour: Grey

Pack Size: 25kg



Key Benefit

For cost effective rendering of most masonry substrates

High Performance Brick Effect Render

STORMSHIELD



A cement based render that can be applied and cut to create a brick effect finish.

Product Guide

Colour: 12 colours available

Pack Size: 25kg



Key Benefit

Available as standard in a range of 12 mortar, stone and brick colours

High Performance Scratch Render

STORMSHIELD



A polymer modified through colour cement render formulated to offer a tough and weather resistant finish.

Product Guide

Colour: 14 colours available

Pack Size: 25kg



Key Benefit

A high performance, low maintenance scratch render finish

High Performance Brick Slip Mortar

STORMSHIELD



A vapour permeable, polymer modified mortar for pointing brick slips and to repair existing brick pointing.

Product Guide

Colour: 7 colours available

Pack Size: 25kg



Key Benefit

High performance coloured pointing mortar for brick and stone slips

High Performance Brick Slip Adhesive

STORMSHIELD



A cement based adhesive that provides excellent adhesion for brick slips to most substrates.

Product Guide

Colour: Grey

Pack Size: 25kg



Key Benefit

High grab adhesive for easy fixing of brick and stone slips



JOHNSTONE'S
TRADE

STORMSHIELD

E W I & R E N D E R

H I G H
P E R F O R M A N C E
S Y S T E M S

TRAINING AND TECHNICAL SUPPORT
FORMULATED FOR EASE OF APPLICATION

AVAILABLE NATIONWIDE



SPECIFIERS.ACUK@PPG.COM

| WWW.JOHNSTONESTRAD.COM



ESSENTIALS

Preparation is key and can help ensure that a paint coating will provide lasting protection for a surface.

Preparing surfaces to be painted using the products available in the Johnstone's Trade Essentials range will help to ensure that they are free of grease, oil and any other contaminants. This will create an ideal surface to be coated and will help ensure firm adhesion to prevent flaking and subsequent corrosion.

TC1 Thinner & Cleaner



A fast evaporating thinner and cleaner that is ideal for use with various Johnstone's Trade Performance Coatings products.

Product Guide

Colour: Clear

Pack Size: 5Ltr

Type: Solvent Based



Key Benefit

Great for use with a range of Johnstone's Trade coatings

Cleaner & Degreaser



An alkaline, non-caustic, water based detergent designed as a degreasing pre-treatment for soiled and contaminated surfaces prior to painting.

Product Guide

Colour: Clear

Pack Size: 5Ltr

Type: Water Based



Key Benefit

Excellent for degreasing oily surfaces prior to painting.



A	
2 Pack Epoxy Solvent Based Floor Paint	42
2 Pack Epoxy Water Based Floor Paint	41
2 Pack Epoxy Water Based Wall Coating	60
2 Pack Anti Graffiti Glaze	63
2 Pack Anti Graffiti Finish	63

A	
Acid Etch Solution	43
Acrylic Durable Matt	21
Acrylic Durable Eggshell	22
Acrylic Satin	33
Advanced Multi-Surface Primer	80
Advanced Stain Block Primer	81
Agricultural Oxide Paint	52
Air Pure	20
Alkali Resisting Primer	82
Aluminium Paint	52
Aluminium Wood Primer	83
Anti-Condensation Paint	73
Anti-Slip Additive	41
Anti-Slip Flortred	40
Anti-Mould Acrylic	60
Aqua Guard Durable Water Based Satin	30
Aqua Water Based Gloss	30
Aqua Water Based Satin	32
Aqua Water Based Undercoat	32

B	
Black Bitumen	74
Brick Effect Render (High Performance)	108
Brick Slip Adhesive (High Performance)	110
Brick Slip Mortar (High Performance)	110

C	
Cleaner & Degreaser	53/113
Cleanable Matt	20
Covaplus Vinyl Matt	22

D	
Damp Proof Paint	73
Dash Reciever Render (High Performance)	108

E	
Eggshell	35
Endura Super Durable Matt	21

F	
Flame Retardant Acrylic Eggshell	67
Flame Retardant Durable Matt	67
Flame Retardant Intumescent Upgrade 2 Pack Primer	69
Flame Retardant Intumescent Upgrade Base Coat	69
Flame Retardant Intumescent Upgrade Acrylic Eggshell	68

Flame Retardant Intumescent Upgrade Acrylic Matt	68
Flat Oil Paint	72
Flexible Gloss	97
Flexible Primer Undercoat	98
Flexible Satin	98
Flortred	40

H	
Heavy Duty Glaze	74
High Build Zinc Rich Primer	51

I	
Insulation Panel Adhesive	104

J	
Joncryl Water Based Primer Undercoat	35
Jonmat Premium Contract Matt	23
Jontex High Build Textured Masonry	95

K	
Key Coat Primer	104

M	
MDF Primer	84
Micaceous Iron Oxide	51
Microbarr Anti Bacterial Acrylic Eggshell	59
Microbarr Anti Bacterial Acrylic Matt	59
Mordant Solution	53

O	
One Coat Render	109

P	
Perfect Matt	19
Pliolite® Based Masonry Finish	94
Professional Gloss	33
Professional Undercoat	34

Q	
Quick Dry Polyurethane Flortred	42
Quick Drying Metal Primer	49
Quick Drying Steel & Cladding Topcoat	49
Quick Dry Matt Blackboard Paint	72
Quick Dry Stabilising Solution	96
Quick Dry Zinc Phosphate Primer	50

R	
Road Marking Paint	43
Render Basecoat (High Performance)	105
Render Basecoat (High Flexibility)	105

S

Satin Finish	34
Self-Cleaning Masonry	94
(Full) Silicone Render Primer	107
Scratch Render (High Performance).....	109
(Full) Silicone Render (High Performance).....	107
Silicone Enhanced Render.....	106
Silicone Enhanced Render Primer.....	106
Silicone Masonry	93
Single Pack Primer	50
Smooth Masonry	93
Smooth Metal Paint	48
Solar Reflective Paint.....	75
Stabilising Solution	96
StainAway	19
Stain Block Primer	81
Steel & Cladding Semi-Gloss Topcoat	48
Sterilisation Wash	61
Stopmould	61

T

TC1 Thinner & Cleaner	113
Textured Masonry	95

U

Ultra Primer & Finish	84
Ultra Primer Sealer.....	80
Universal Primer	82

V

Vinyl Silk	23
Vinyl Soft Sheen	24

W

Water Seal.....	97
Wood Primer	83

Every effort is made to ensure the information in this brochure is correct at the time of going to print and we make no representation or warranty as to its accuracy. We apologise for alteration, amendment or change to any product that may be made during the lifetime of this brochure.

The information in this brochure should not be relied upon and does not constitute any form of binding contract. By using this brochure you confirm that you have not relied on any such information. Any arrangements made between you and any third party named or referred to in the brochure are entirely at your own risk.



WE'RE PROUD
OF OUR PAINT,
YOU'LL BE PROUD
OF THE RESULT.



www.johnstonestrade.com





FREQUENTLY ASKED QUESTIONS

Interior Walls & Ceilings	119
Interior Wood	120
Flooring	120
Metal	121
Exterior Masonry	121
Exterior Wood	122

INTERIOR WALLS & CEILINGS

Q: I have a water stain on a ceiling that keeps appearing what can I do?

A: As with any water stain the cause has to be rectified prior to undertaking any painting. Once any repairs are complete and the surface is fully dry, initially treat with a coat of Johnstone's Trade Stain Block Primer prior to your chosen top coat. If the area is quite large consider applying Johnstone's Trade StainAway, this is a stain blocker and finish in one.

Q: How would I paint over existing Vinyl Silk with one of the Johnstone's Trade matt emulsion paints?

A: Once the surface has been suitably prepared, use one coat of Johnstone's Trade Ultra Primer Sealer before the application of the matt emulsion paint.

Q: After applying two coats of Johnstone's Trade Acrylic Durable Matt over bare plaster the appearance seems patchy?

A: We would recommend using Johnstone's Trade Ultra Primer Sealer on dry bare plaster, however due to already applying the finishing coat we would recommend an additional third coat to help create the film build required.

Q: The ceilings and walls have multiple imperfections, is there anything that I can apply to help achieve the best possible finish?

A: Johnstone's Trade Perfect Matt with innovative Smooth Layer technology and low sheen level has the ability to hide surface imperfections. This is dependent on the structural imperfections and other factors such as severity of the surface, critical lighting, application etc.

Q: I would like to paint over new fresh plastered walls with Johnstone's Trade Covaplus Vinyl Matt, is there anything I should apply first?

A: The plaster must be allowed to dry out thoroughly. Before application we would suggest testing the surface with a moisture meter. Once the surface is dry, we would recommend one coat of Johnstone's Trade Covaplus Vinyl Matt slightly thinned followed by two full coats of the Johnstone's Trade Covaplus Vinyl Matt.

Q: I would like a wall paint with a mid-sheen that's really tough to use in a school corridor – what would you recommend?

A: Johnstone's Trade Acrylic Eggshell is extremely tough and stain resistant so ideal for high traffic areas that may require regular cleaning.

INTERIOR WOOD

Q: I have painted my doors in Johnstone's Trade Professional Gloss. The back side of the door has started to discolour and turn yellow?

A: Solvent based formulations use UV light to stabilise the paint, in areas of low light we would recommend using a water based alternative such as the Johnstone's Trade Aqua Water Based Gloss/Satin, Johnstone's Trade Aqua Guard Durable Water Based Satin or Acrylic Gloss/Satin.

Q: How do I redecorate my internal woodwork which has a solvent based finish using a water based paint?

A: After thoroughly abrading the glossy surfaces apply one coat of Johnstone's Trade Joncryl Water Based Primer or Johnstone's Trade Aqua Water Based Undercoat followed by two coats of your chosen Water based paint.

Q: I have internal timbers that I would like to remain looking as natural as possible, what can I use?

A: Water based varnishes have the ability to offer a high level of protection and durability without changing the appearance of the timber onto which it's applied. Solvent based varnishes will initially deepen the colour of any timber which will over time only become richer and darker with age.

Q: Can I paint my timber floor?

A: Johnstone's Trade Flortred is formulated to produce a tough, hardwearing finish for not only traditional concrete but also timber. Its satin appearance makes it an ideal decorative coating for internal timber floors with the added advantage of a choice of thousands of colours from our tinting system.

FLOORING

Q: I have applied Johnstone's Trade Flortred to my garage floor. How long should I leave it until I can park on it?

A: Johnstone's Trade Flortred will be recoatable after 24 hours however the coating should be allowed to fully cure for a minimum of 5 to 7 days before subjecting the floor to standing vehicles.

Q: I've just had a new floor laid how long should I wait until I can paint it?

A: Firstly the moisture content of the substrate should be checked. This can be carried out by various methods but the best way is by using a moisture meter specifically designed for this purpose. If you don't have access to this equipment then, as a guide, it is recommended that a drying period of a month is allowed for every inch of concrete laid in depth.

Q: Do I need a sealer or primer for my bare concrete floor

A: None of the floor coatings within the Johnstone's Trade range require a sealer or specific primer for bare surfaces, ideally thin the first coat to allow the paint to penetrate into the structure of the floor. Polished or over sealed floors must be treated by approved methods prior to painting.

METAL

Q: Can I paint my new Plastasol Cladding?

A: Due to the chemicals normally present in new fresh cladding it is advisable to allow the surface to fully weather before considering applying any paint coating.

Q: I have a stretch of metal railings is there any easy way to paint them?

A: The Johnstone's Trade Smooth Metal Paint eliminates the need for a primer and undercoat and can be applied direct to the railings after a little preparation.

Q: Do I need to prime powder coated metal?

A: It is always advisable to prime this type of surface and the Johnstone's Trade Single Pack Primer is ideal.

Q: Do I need to treat galvanised metal?

A: Pre-treatment of galvanised metal is dependent on the condition. If well weathered once cleaned it generally will accept a paint coating. If new, bright and shiny it's advisable to pre-treat with Johnstone's Trade Mordant Solution.

EXTERIOR MASONRY

Q: I have painted my house with your Johnstone's Trade Smooth Masonry paint. In one small area the coating has flaked off the surface leaving a white powder?

A: The white powder is often natural salts drawn through by moisture this is called efflorescence and should be removed by dry brushing and checked on a regular basis. This should only be overcoated when the salts have ceased appearing on the surface.

Q: The masonry paint has washed off in a rain shower, why?

A: Most Masonry Coatings are water based, therefore, as in this case, it is highly likely that the paint film had not had time to fully cure, before the shower of rain. Water borne coatings dry mainly by evaporation. Drying can be slowed or even stop during and immediately after application of the paint by cold, damp or humid conditions. Johnstone's Trade Smooth Masonry with innovative Rain Resistant technology is rain resistant after 20 minutes at 23°C. The new formulation can also be applied from 2°C and rising*. In extreme conditions, Johnstone's Trade Pliolite should be used instead.

Q: Why have I not achieved the coverage rate quoted on the tins?

A: The covering or spread rate of masonry paint will be determined by the condition, porosity or texture of the surface on to which it is applied. Most of the surfaces on to which these paints are normally applied are naturally absorbent. It may be necessary to quench this absorbency as unsealed surfaces will absorb more material, thus reducing the spread rate. The profile of the surface will also affect the spread rate of the coatings. In some instances, particularly on heavily textured masonry surfaces, the raised profile can increase the surface area by 30 per cent.

EXTERIOR WOOD

Q: Is a stabilising primer/solution really necessary?

A: If the surfaces which are to be treated with a masonry paint are highly porous, chalky or friable, then they should be treated with stabilising solution. Johnstone's Trade Stabilising Solution is a highly penetrative material designed to bind unstable and quench highly absorbent surfaces, this provides a suitably bound or sealed surface which will receive a masonry coating. To ensure good adhesion of the masonry coatings following application of Johnstone's Trade Stabilising Solution, it is essential that a non-glossy surface be produced. The stabilising solution should be initially applied to a small test area, if it dries to and leaves a glossy finish then it should be thinned and a new test area undertaken until a non-glossy appearance is achieved.

Q: What paint would be best for my new tanalised/pressure treated timber shed and fence?

A: Tanalised/pressure treated timber should be allowed to weather before considering applying a Johnstone's Trade Woodworks paint coating. This increases the absorbency allowing the coating to penetrate and bond to the timber.

Q: I have applied a decking stain which has started to flake badly over the winter how can I remedy this?

A: Due to the level of wear and site conditions of water sitting on the surface we would recommend allowing the substrate to completely dry out before removing any loose/flaking product and applying one thinned coat and a minimum of two coats on the Johnstone's Trade Decking Stain.

Q: I would like to paint my external window frames?

A: Once suitably prepared apply Johnstone's Trade Stormshield flexible gloss system.

Q: My gloss paint has a matt appearance and has not fully dried, why?

A: This effect is commonly known as "Blooming". It's usually caused by exposure of the still drying coating to cold or damp conditions before it has fully cured. Atmospheric conditions of dampness and low temperatures are not conducive to the film forming characteristics of this material. In some instances they also affect the drying properties and cause it to remain tacky for some time.



FOR IMPROVED
INDOOR AIR
QUALITY



The bio-based wall paint that purifies indoor air.

Introducing Johnstone's Trade Air Pure, the bio-based wall and ceiling paint that purifies indoor air. From the first day of application the active Air Purifying technology neutralises up to 70% of formaldehyde from indoor spaces, meaning Johnstone's Trade Air Pure creates a better indoor environment. The product contributes to green building ratings including BREEM, LEEDv4 and the Well Building Standard.

For further information visit www.johnstonestrade.com





ANY QUERIES PLEASE CONTACT
CUSTOMER SUPPORT ON

01924 354354

www.johnstonestrade.com



We protect and beautify the world™

PPG Architectural Coatings UK Limited,
Huddersfield Road, Birstall, Batley, West Yorkshire, WF17 9XA

Telephone: 01924 354354 **Fax:** 01924 354001

100377